		ORDER FOR SUP	PLIES OR SERVIC	:52			į		
CONTRACTIPURCH ORDER/AGREE	VENT NO	2 DELVERY ORDERICAL	NO	S DATE OF ORDERICAL	- 141	REQUIST LONG PLACE	N REQUEST NO	7	S PRODRITY
196014-09-0-0696		1003		(11)	33	PR(14) 91-06		}	
(880ED BY	Boos	1410014	7 ADMINISTERED BY	effection stands	500	: : : : : : : : : : : : : : : : : : :	205A) e.ae	LIVERY FOR
iffice of Naval Rosser	rub		T DOWN ANY PRISON	F1	-	<u> </u>	+	Ìx	ОФЕТИАЛІСЫ
RR251 Lyan Christian			.	L DAINE TIFES				<u> </u>	Ø7⊮€R
mail:Lynn.Christias&r 215 North Mandolph St:	-		TERRESURG MA	0183 6+138A					(Son Skhedir's d other)
Suite W1275			1					1	ount)
riington VA 22203	·	·	11	······································		~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~			
CONTRACTOR	CODE	DAYPT	FACILITY	_ 	אררנינן. גירינינן	r to for font b Maco	(ODE)	11. X 1	F NUT THE CH
RAYTHEON CO					Nuitip			4_	Shoul
HAME 50 APPLE HI AND TEWKSBURY I			-1-0131		ii deco	HT TERMS			SAMEL DISABVANTAGEL
ADDRESS		() .	RIGIN	$\Delta \Gamma$					WOMEN OWNED
-		Ų l	HOIN	/ \ Lea	I) MAK IN	VOICES TO THE AL	DRESS WALDE	x	
I. KYPY TO	CODE	800004	19, PAYMENT YALL DE	- •	6000	183	7337		
i. Pounis Cole				MORTH SMIL-RGOS	3.27			_1	MARK ALL
rupram Exemutive Offi			PO 80% 190 264	_					PACKAGES AND PAPERS WITH
ntegrated Wastard Sys			COLUMBIG DE 4	: V2 (F-2266					IDENTIFICATION
331 taaway Boll Avenum arioway 197	! ক্র		}]	Numbers M Block : And 3
ashington Havy Yard (DE 20916							- 1	
18 DEUVERTI V The			<u> </u>	<u> </u>		****			
THE CALL X THE	Questally digestates in 17;	oga knommers@sumera ga hevi	FUEN ON BY SCCOLUMBICS AREA !	Bald arrelled to reliable part cou	C-1 007 07 88	MAN DAMPHING COUNTY	ari		
OF PIECE		CNATURE	Daniel F. C	ED BY THE MOMBERED IN SERFFORTH AND AGREE DINGS SERFFORTH AND AGREE DINGS TO THE PROPERTY OF T	es to per	POPE AS IT WAY I POPE THE SALE	PREVIOUSLY HA		ums spectral here n 104134 vie s one o vyywuwody
OF PURCHASE RESERVED FOR THE PURCHASE RESERV	motive costi ence soci	CNATURE	Daniel F. C	S SELFORTH AND AGRE	es to per	FORE THE SAME	PREVIOUSLY HA		ums specified heren 109134 NGS ONEC TYTHWWDOJ
OF PURCHASE RES	S S S S S S S S S S S S S S S S S S S	CNATURE	Dent F. C	S SELFORTH AND AGRE	es to per	FORE THE SAME	REVIOUSLY FA	913	UMS SPECIAL PROPERTY AND DAY
PURCHASE RESERVED FOR THE STREET STRE	ST SC ST	CHATURE THE TORONING NUMBER OF COP HEDULE OF AUPPLIEUSERING	Dent F. C	SELFORTH AND AGRE WALL TYPED NAVE MED TO THE DISTRIBUTION OF THE PROPERTY O	ES TO PER	S Mys.	REVIOUSLY FA	913	104/24
OF PURCHASE HASE # BUT DOT IN HERBY SUPPLY MAN ACCOUNTING AND APPROPRIETS ACCOUNTIN	CE TO NAMPE L.	CHATURE THE TORONING NUMBER OF COP THE COULE OF AUPPLIEURERISC THE COULE OF AUPPLIEURERISC THE COULE OF AUPPLIEURERISC	Dent F. C	SELFORTH AND AGRE MAI) ST. (TYPED NAVE AND THE GREATER ACCEPTED.	ES TO PER	S Mys.	REVIOUSLY FA	913	104/24
PROPER PURCHASE MAN MAN AND APPROPRIATE MAN MEM NO NAVRIS / S Continued	spiratespanes and in participates and in parti	CHATURE THE CORRESPONDENCE OF AUPPLIEUEERING THE COLE OF AUPPLIEUEERING THE COLE OF AUPPLIEUEERING Lynn Ch	Dant F. C	TYPED NAVE MED TO TYPED NAVE MED TO TYPED NAVE MED TO SELECTION TRACTION OFFI	ES TO PER	J My 7.	SECTION STATE	013	104) 24 STESONED STESONED
PURCHASE RES # BUT DOX II MANNE SUPPLY MUST ACCOUNTING AND APPROPRIATE THE MEM NO NAVRIS / S COntinued Frequency prosped by the Government Continued Outley ordered and along X. E parter Continued	SON Number	CHATURE THE TORONING NUMBER OF COP THE COULE OF AUPPLIEURERISC THE COULE OF AUPPLIEURERISC THE COULE OF AUPPLIEURERISC	Dant F. C	SELFORTH AND AGRE MAI) ST. (TYPED NAVE AND THE GREATER ACCEPTED.	ES TO PER	22 UNITPRICE	STEVIOUSLY FA	013	104/24
STANDARY PURCHASE RESERVED PURCHASE RESERVED PURCHASE RESERVED RES	SDN Number	CHATURE THE TORON OF THE TORON OF THE THE TORON OF THE	Dant F. C	TYPED NAVE MED TO TYPED NAVE MED TO TYPED NAVE MED TO SELECTION TRACTION OFFI	TALL DIGITAL STATE OF THE STATE	22 SINIT PRICE	SECTION STATE	013	104) 24 STESONED STESONED
FORDER PURCHASE RATE NAVRIS / 3 Continued Formerly accepted by the Government wantly accepted by the Government accepted bother outland and department accepted by the Control accepted by	SDN Number	CHATURE THE TORRESS OF THE TORRESS OF CONTROL OF THE TORRESS OF T	Dant F. C	SELFORTH AND AGRE MAI) ST. (1) TYPED HAVE AND THE DELINITIES ORDERED ACCEPTED TRACTING OFF	TALL DIGITAL STATE OF THE STATE	22 SINIT PRICE	STEVIOUSLY FA	013	104) 24 STESONED STESONED
FUND PURCHASE RESERVED PURCHASE RESERVED PURCHASE RESERVED RESERVE	SDN Number:	CHATURE THEOULE ON AUPPLIEUSERING Lynn Ch EX UNITED AND CONFORMS TO CHICAGO F AND CONFORMS TO CHICAGO F AND TED.	Denti F. C	TYPEG HAVE AND THE TYPEG HAVE AND THE TYPEG HAVE AND THE TYPEG HAVE AND THE TYPEG HAVE ACCEPTED.	TALL UNITED STATES TO PER STAT	22 UNIT PRICE	STAL DIFFERENCES	Ø13)	104) 24 STESONED STESONED
PURCHASE RATE RICH DOT IN MAND APPROPRIATE TO ACCOUNTING AND APPROPRIATE THE NEW NO IS INCUMENTED NAVRIS / 3 Continued We evenly accepted by the Government outly ordered redeate by X II affect of the accepted below as the accepted below as the accepted below as the accepted and accepted to the accepted accepted below as the accepted accepted to the accepted	SDN Number:	CHATURE THEOULE ON AUPPLIEUSERING Lynn Ch EX UNITED AND CONFORMS TO CHICAGO F AND CONFORMS TO CHICAGO F AND TED.	Dant F. C	TYPED NAVE AND THE TYPED NAVE AND THE TYPED NAVE AND THE TYPED NAVE AND THE TYPED TYPED THE TYPED TYPED TYPED THE TYPED TY	TAN TO PER TO PE	22 SINIT PRICE	STAL DIFFERENCES	Ø13)	104) 24 STESONED STESONED
SENSEN PURCHASE RESERVED FOR THE PURCHASE RESERVED RESERV	I SON NUMBER (1. 3C) SON NUMBER (2. 3C) SON NUMBER (3. 4C) SON REE (4. 3C) SON REE (5. 4C)	CHATURE HEDULE OF AUPPLIEUEERSC 1106197 Lynn Ch Ex units and conforms to omtract except as noted. Entative	Danti F. C	TYPED NAVE AND THE TYPED NAVE AND THE TYPED NAVE AND THE TYPED NAVE AND THE TYPED TYPED THE TYPED TYPED TYPED THE TYPED TY	THE AND THE AN	22 UNIT PRICE	STAL DIFFERENCES	Ø13)	104) 24 STES ONE CO STRUMBON S
SENSEN PURCHASE RESERVED FOR THE PURCHASE RESERVED RESERV	I SON NUMBER (1. 3C) SON NUMBER (2. 3C) SON NUMBER (3. 4C) SON REE (4. 3C) SON REE (5. 4C)	CHATURE HEDULE OF AUPPLIEUEERSC 1106197 Lynn Ch Ex units and conforms to omtract except as noted. Entative	PERUS AND CONSTITUTE DANIEL F. CO.	SELFORTH AND AGRE WAY ST. (TYPED NAME AND THE DURNTHY ORDERED ACCEPTED TRACTING OFFI GONTRACTIN E. PRINTED DAN REPRESEN	THE AND THE AN	22 UNIT PRICE	STAL STAL SPERENCES GOVERNMENT 130.88 TIALS	913	AMOUNT
PURCHASE PURCHASE PARENTE PURCHASE PURC	SON NUMBER 19 JAMES AL USE 20 JAMES AL	CHATURE THEOULE OF BUPPLIEUSERING TO 106197 Lynn Ch. RA UNITED, AND CONFORMS TO OMITALCY EXCEPT AS NOTED. ENTATIVE EPTESENTATIVE	PARTIAL	TYPEG HAVE AND THE TYPEG HAVE AND THE GUARACTER ACCEPTED AN ACCEPTED ACCEPT	THE AND THE AN	22 UNIT PRICE	REVIOUSLY RA	913	AMDUNT
FOR PURCHASE ### PURCHASE ### PURCHASE ### PURCHASE #### PURCHASE ###################################	I SON NUMBER (1. 3C) SON NUMBER (2. 3C) SON NUMBER (3. 4C) SON REE (4. 3C) SON REE (5. 4C)	CHATURE THEOULE OF BUPPLIEUSERING TO 106197 Lynn Ch. RA UNITED, AND CONFORMS TO OMITALCY EXCEPT AS NOTED. ENTATIVE EPTESENTATIVE	PERUS AND CONSTITUTE DANIEL F. CO.	TYPEG HAVE AND THE TYPEG HAVE AND THE GUARACTER ACCEPTED AN ACCEPTED ACCEPT	THE AND THE AN	22 UNIT PRICE	STAL STAL SPERENCES GOVERNMENT 130.88 TIALS	913 J	AMOUNT
PURCHASE PAREM PAREM PAREM PURCHASE PAREM PURCHASE PAREM POR ACCOUNTING AND APPROPRIATION OF SUPERIOR STATE OF ACCOUNTING AND APPROPRIATION OF SUPERIOR STATE OF ACCOUNTING AND APPROPRIATION OF SUPERIOR STATE OF ACCOUNTING AND ACCOUNTING AND ACCOUNTING AND ACCOUNTING ACCOUNTI	SON NUMBER (1. 3C) SON NUMBER (2. 3C) SON NUMBER (3. 3C) SON NUMBER (4. 3C) SON NUMBER (5. 3C) SON NUMBER (6. 3C) SON NU	CHATURE THEOULE OF AUPPLIEUSERS HEOULE OF AUPPLIEUSERS Lynn Ch EA UNITED AND CONFORMS TO MITED AND CONFORMS T	PARTAL PHAL	SELFORTH AND AGRE NO. ST. (1) TYPEG HAVE AND THE GLEAN ACCEPTED- GONTRACTIN 6. PREVIEW HAVE REPRESEN 19 0 5. VOLUME 12 PAY BY	THE AND THE AN	22 UNIT PRICE	STAL STALLS	913 J	AMOUNT
FINADOR IN PURCHASE FINADOR IN PURCHASE FOR DOR IN PURCHASE FOR DOR IN PURCHASE FOR DOR IN PURCHASE NAVRIS / S CONTINUED WAVRIS / S CONTINUED WARRING ADDRESS OF AUTHOR FILEPHONE NUMBER FILEPHONE NUMBER FILEPHONE NUMBER FILEPHONE NUMBER FILEPHONE NUMBER	SON NUMBER (1. 3C) SON NUMBER (2. 3C) SON NUMBER (3. 3C) SON NUMBER (4. 3C) SON NUMBER (5. 3C) (5. 3C) (6. 3C	CHATURE THEOULE OF AUPPLIEUSERS HEOULE OF AUPPLIEUSERS Lynn Ch EA UNITED AND CONFORMS TO MITED AND CONFORMS T	PARTUL PRESENT ORDITOR CONTENTS C	SELFORTH AND AGRE NO. ST. (1) TYPEG HAVE AND THE GLEAN ACCEPTED- GONTRACTIN 6. PREVIEW HAVE REPRESEN 19 0 5. VOLUME 12 PAY BY	THE AND THE AN	22 UNIT PRICE	STAL STALLS	OIS OF THE PROPERTY OF THE PRO	AMOUNT SOURCETTON
PURCHASE RATE BUTA DOX IS MANDER SUPPLY MAND TACCOUNTING AND APPROPRIATION TO ACCOUNTING ACCOUNT BY ACCOUNT BY ACCOUNTING ADDRESS OF AUSTHORS TO ACCOUNTING ADDRESS OF AUSTHORS TO ELEPHONE NUMBER TO ERRIFY THIS ACCOUNT BY COR	SON NUMBER (1. 3C) SON NUMBER (2. 3C) SON NUMBER (3. 3C) SON NUMBER (4. 3C) SON NUMBER (5. 3C) (5. 3C) (6. 3C	CHATURE STUDIE OF AUPPLIEUEERSC HEOGLE OF AUPPLIEUEERSC LYNN Ch EA UNITED TYPE OF ANSES BY U- TED, AND CONFORMS TO ANTALY EXCEPT AS NOTED. ENTATIVE EPPRESENTATIVE CRITIFYING OFFICER CERTIFYING OFFICER	TERMS AND CONSTITUTE PARTIAL ST. PAYMENT COMPLET PARTIAL FINAL FINAL FINAL FINAL FINAL FINAL	SELFORTH AND AGRE NO. ST. (1) TYPED HAVE AND THE GLANTINE GLANTINE GONTRACTIN GONTRACTIN G. PRINTED HA REPRESEN 19 0 5 VOUCE 12 PATO BY	TANDER OF THE AND TO TRAINE	22 SHIT PRICE 10 OFFICER 11 TE OF AUTHORIZE	DEVIOUSLY FA	O S S S S S S S S S S S S S S S S S S S	AMOUNT SOURCETTON
PURCHASE RATE BEND DOX IS INSTRUCTION OF A SECOND TO CONTINUE AND APPROPRIATION OF A SECOND OF A SECO	SON NUMBER (1. 3C) SON NUMBER (2. 3C) SON NUMBER (3. 3C) SON NUMBER (4. 3C) SON NUMBER (5. 3C) (5. 3C) (6. 3C	CHATURE SELECT THE CORRESPONDENCE OF CONTROL OF CONTROL OF CAMERA ELYPTICAL CONTROL OF CAMERA EVEN DE CONTROL OF CAMERA ENTATIVE EPPERSENTATIVE CRESS	TERMS AND CONSTITUTE DANTE F. CO.	SELFORTH AND AGRE NO. ST. (1) TYPEG HAVE AND THE GLEAN ACCEPTED- GONTRACTIN 6. PREVIEW HAVE REPRESEN 19 0 5. VOLUME 12 PAY BY	TANDER OF THE AND TO TRAINE	22 SHIT PRICE 10 OFFICER 11 TE OF AUTHORIZE	DEVIOUSLY RA	O S S S S S S S S S S S S S S S S S S S	AMOUNT 6,000,000.0

	ORDER FOR SUP	PLIES OR SERVIC	ES				PAGE 1 0	F 9
1. CONTRACTIPURCH ORDER/AGREEMENT NO.	2 DELIVERY ORDERICALL	NO.	3. DATE OF ORDERUCAL	1 4	REQUISITION/P	URCH REQUE	ST NO.	5. PRIORITY
N00014-09-D-0696	0003		(ҮҮҮҮМММОО)	,	3PR09191-0	0		
6. ISSUEDBY CODE	N00014	7. ADMINISTERED BY	(Fother than \$;	to	DE I	52205A	(*.0	ELIVERY FOR
Office of Naval Research ONR251 Lynn Christian 703 696 1575 Email:Lynn.Christian@navy.mil 875 North Randolph Street Suite W1275	· · · · · · · · · · · · · · · · · · ·	DCMA RAYTHEO 50 APPLE HIL TEWNSBURY MA	L DRIVE T2FR2		··· L	<u> </u>	×	DESTINATION OTHER (See Schedule if other)
Arlington VA 22203 S.CONTRACTOR CODE	OAYP7	FACILITY			YER TO F09 POT	T BY (Date)	11. X	IF BUSINESS IS
RAYTHEON COMPANY NAME 50 APPLE HILL DR AND TEWKSBURY MA 01876 ADDRESS				Mult:	WYONCES TO TH	E ADDRESS IN	Brock	EMAIL EMALL DISADVANTAGED VIOLEN-OWNED
				<u> </u>		·	 , .	
Mr. Dennis Cole Program Executive Office Integrated Warfare System 2 1333 Isaac Hull Avenue SE Building 197 Washington Navy Yard DC 20376	N00024	DEAS COLUMB. PO BOX 18226	NORTH ENTL-HQG	337	· L	HQ0337		MARK ALL PACKAGES AND PAPERS WITH IOENTFICATION HUMBERS IN BLOCK I AND 2.
Inter Property	sued on another Governmer4 as							
NAME OF CONTRACTOR S If this box is marked, supplier must age Acceptance and it. ACCOUNTING AND APPROPRIATION DATALOCAL USE See Schedule	IGNATURE return the incoving number of co	pies:	TYPED NAME AND I	inue .				DATE SIGNED YYYYMMMODJ
14. (TEM NO. 19. S	CHEDULG OF SUPPLIES/SERVI	CES	20. QUANTIY DROERED ACCEPTED	1 1	22. UNIT F	RICE	1	IS. AMOUNT
NAVRIS / SDN Number	: 1106197							
Continued					.	25. TOTAL		\$6,000,000.00
Ti quantity expected by the Government is same as quantity ordered, indicate by X. II different.	24. Lingted States of Alies	GCA				16. DIFFEREN	cres .	
enter actual guardty eccepted balow quantity ordered and encircle. 27a, QUANTITY BI COLUMN 20 HAD BEEN	an Barbara L. Chi	istian	CONTRACT	NGAORDE	RING OFFICER	ļ		
PASPECTED RECEIVED THE	PTEU, AND COMPORMS TO ONTRACT EXCEPT AS NOTED:	· _ 						
B. SIGNATURE OF AUTHORIZED GOVERNMENT REPRE	BENTATIVE	C. DATE (YYYYMMMDC			TITLE OF AUTHO	MIZEO GOVE	NAENT	
*. MAJUNG ADDRESS OF AUTHORIZED GOVERNMENT	REPRESENTATIVE	28. \$HIP, NO.	29, D.O. YOU	HER NO.		30.INETU	ALS	
		PARTIAL	J2. PAID BY			33.A\$10	UNT VERIFIED	CORRECTFOR
F. TELEPHONE NUMBER 9. E-MAIL A	OPRES\$	FINAL 31. PAYMENT				34. CHE	CK HUMBER	
36, I CERTIFY THIS ACCOUNT IS CORRECT AND PROPER	ON PAYMENT,	COMPLET	re					
# DATE b. SIGNATURE AND TITLE OF	CERTIFYING OFFICER	PARTIAL FINAL				39. BK1.	OF LADRIG N	o, —————
37. RECEIVED AT 38, RECEIVED BY (FYIN)	(YYYYMMAIDD)	40. TOTAL CON-	41, 5/R ACCC	JURY NUG	nea.	42, 5JR V	OUCHER NO.	
QDFORM 1128,DEC 2001		PRÉVIOUS EDITION	IS DESCRETE.		. 		-	

" Readable Cipy"

CONT	NOITAUN!	CUERT
00111		

REFERENCE NO. OF DOCUMENT BEING CONTINUED N00014-09-D-0696/0003

PAGE ΟF

9

NAME OF OFFEROR OR CONTRACTOR RAYTHEON COMPANY

ITEM NO.	Supplies:Gerwoss	QUANTITY	UNIT	UNIT PRICE	ANJOUT
0001	Base Period The Contractor shall furnish the necessary personnel and facilities to conduct the research effort as described in the statement of work and provide reports and data in accordance with Exhibit A. (Not Separately Priced) Product/Service Code: AD94				
0001AA	Monthly Progress Reports (Technical) (In accordance with CDRL A001) Product/Service Code: AD94				(0) (4) - 14
	ACRN: AA Funded: PORTER				
0001AB	Monthly Progress Reports (Technical) (In accordance with CDRL A001) Product/Service Code: AD94	and the second s			
	ACRN: AA Funded:				
0001AC	Monthly Progress Reports (Technical) (In accordance with CDRL A001) Product/Service Code: AD94		,		<u>vedena</u>
	ACRN: AA Funded:				
0001AD	Monthly Progress Reports (Technical) (In accordance with CDRL A001) Product/Service Code: AD94				
	ACRN: AA Funded:				
	Continued				
NSN 7545-01-1					OPTIONAL FORM 326 (4-85)

CONTINUATION SHEET	REFERENCE NO OF DOCUMENT BEING CONTINUED	PAGE	OF	
	N00014-09-D-0696/0003	3	9	

NAME OF OFFEROR OR CONTRACTOR RAYTHEON COMPANY

ITEM NO. SUPPLIES/SERVICES QUANTITY UNIT UNIT PRICE AMOUNT 0001AE Monthly Progress Reports (Technical) (In accordance with CDRL A001) Product/Service Code: AD94 ACRN: AA Funded: 0001AF Monthly Progress Reports (Technical) (In accordance with CDRL A001) Product/Service Code: AD94 ACRN: AA Funded: Karsha 0001AG | Monthly Progress Reports (Technical) (In $(b)_{i,j}(y_i)$ accordance with CDRL A001) Product/Service Code: AD94 ACRN: AA Funded: 0001AH Monthly Progress Reports (Technical) (In ata i ko ya k accordance with CDRL A001) Product/Service Code: AD94 ACRN: AA Funded: 0001AJ Monthly Progress Reports (Technical) (In accordance with CDRL A001) Product/Service Code: AD94 ACRN: AA Funded: Continued ...

CONTIN	ነል ንነሱእነ	CHEET

N00014-09-D-0696/0003

PAGE OF

9

NAME OF OFFERCH OR CONTRACTOR
RAYTHEON COMPANY

ITEM NO.	SUPPLIES/SERVICES		QUANTITY	UNIT	UNIT PRICE	AMOUNT
0001 a k	Monthly Progress Reports (Technical) accordance with CDRL A001) Product/Service Code: AD94	(In				ds: 19 mm
:	ACRN: AA Funded: 100 100 100					
0001AL	Monthly Progress Reports (Technical) accordance with CDRL A001) Product/Service Code: AD94	(In				
	ACRN: AA Funded:					-
0001AM	Monthly Progress Reports (Technical) accordance with CDRL A001) Product/Service Code: AD94	(In				
	ACRN: AA Funded: 2014	•				
0001AN	Monthly Progress Reports (Technical) accordance with CDRL A001) Product/Service Code: AD94	(In				(D) 48 : Co.
	ACRN: AA Funded: 100 Marie					
0001AP	Monthly Progress Reports (Technical) accordance with CDRL A001) Product/Service Code: AD94	(In				
	ACRN: AA Funded:			***************************************		
	Continued					
			<u> </u>			OPTIONAL FORM 336 (4-86)

CONTINU	JATION	SHEET
~~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	2711011	VIICE !

N00014-09-D-0696/0003

PAGE OF 5

9

NAME OF OFFEROR OR CONTRACTOR RAYTHEON COMPANY

ITEM NO.	3UPPLIS8/SERVICES	QUANTITY	UNIT	UNIT PRICE	TANOMA
0001AQ	Monthly Progress Reports (Technical) (In accordance with CDRL A001) Product/Service Code: AD94				(b) (4)
	ACRN: AA Funded:				
0001AR	Monthly Progress Reports (Technical) (In accordance with CDRL A001) Product/Service Code: AD94				(b) (4)
	ACRN: AA Funded:				
0001AS	Monthly Progress Reports (Technical) (In accordance with CDRL A001) Product/Service Code: AD94				(b) (4)
	ACRN: AA Funded:				
0001AT	Meeting Materials (Kick off, Program/Technical Reviews, TIMS and Final Review (In acordance with CDRL A002) Product/Service Code: AD94				(b) (4)
	ACRN: AA Funded:				
0001AU	Meeting Materials (Kick off, Program/Technical Reviews, TIMS and Final Review (In acordance with CDRL A002) Product/Service Code: AD94				(b) (4)
	ACRN: AA Funded:				
	Continued				

N00014-09-D-0696/0003

FAGE OF

NAME OF OFFEROR OR CONTRACTOR

RAYTHEON COMPANY

ITEM NO.	SUPPLIES/JERY/CES	עזוהאשם	CIMPT	UNIT PRICE	AMOUNT
0001AV	Meeting Materials (Kick off, Program/Technical Reviews, TIMS and Final Review (In acordance with CDRL A002) Product/Service Code: AD94				
	ACRN: AA Funded: 10.000				
WA1000	Meeting Materials (Kick off, Program/Technical Reviews, TIMS and Final Review (In acordance with CDRL A002) Product/Service Code: AD94				
:	ACRN: AA Funded: 10.22				
0001AX	Meeting Materials (Kick off, Program/Technical Reviews, TIMS and Final Review (In acordance with CDRL A002) Product/Service Code: AD94				
	ACRN: AA Funded: 100 - 1				
0001AY	Meeting Materials (Kick off, Program/Technical Reviews, TIMS and Final Review (In acordance with CDRL A002) Product/Service Code: AD94				-
	ACRN: AA Funded: 1013				
0001AZ	Meeting Materials (Kick off, Program/Technical Reviews, TIMS and Final Review (In acordance with CDRL A002) Product/Service Code: AD94				
	Continued				
				}	

CONTINUATION	SHEET
	A11

MOO014-09-D-0696/0003

PAGE OF

NAME OF OFFEROR OR CONTRACTOR RAYTHEON COMPANY

ITEM NO.	SUPPLEMSERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	ACRN: AA Funded: \$60,000.00				
0001BA	Meeting Materials (Kick off, Program/Technical Reviews, TIMS and Final Review (In acordance with CDRL A002) Product/Service Code: AD94				
	ACRN: AA Funded: (3) (3)				
0001BB	Meeting Materials (Kick off, Program/Technical Reviews, TIMS and Final Review (In acordance with CDRL A002) Product/Service Code: AD94				(数以) (
	ACRN: AA Funded:				
0001BC	Existing Radar System Detailed Design Description Report (In accordance with CDRL A003) Product/Service Code: AD94				
	ACRN: AA Funded:				
0001BD	Proposed Enterprise Air Surveillance Radar Study (EASR) System Description Document report (In accordance with CDRL A004) Product/Service Code: AD94				
	ACRN: AA Funded; (b) (5) (5)				
00 01BE	Proposed EASR System Radar Performance Study Report (In accordance with CDRL A006) Product/Service Code: AD94 Continued				
NSN 7540-01-1					OPTIONAL FORM 338 (4-86)

CONTINUATIO	M CHEFT

REFERENCE NO. OF DOCUMENT BEING CONTINUED NO 0014-09-0-0696/0003

PAGE OF 8 9

NAME OF OFFEROR OR CONTRACTOR

RAYTHEON COMPANY

YEM NO.	BUPPLIES/SERVICES	QUANTITY	UNIT	UNITPRICE	THUOMA
	ACRN: AA Funded:				
0001BF	Program Management Plan (In accordance with CDRL A007) Product/Service Code: AD94				
	ACRN: AA Funded: Extra Control				
0001BG	Total Ownership Cost Model (In accordance with CDRL A008) Product/Service Code: AD94				Caste Synth Caste
	ACRN: AA Funded:				
9001вн	Risk reduction Demonstration Plan and Results Report (In accordance with CDRL A009) Product/Service Code: AD94				
	ACRN: AA Funded:				
)001BJ	Final Report (In accordance with CDRL A005) Product/Service Code: AD94				107 (5), 100 - 100
	ACRN: AA Funded: 100 ACC				
	Accounting Summary AA 1721319A5BJ252W5020005012G2D000000A100				
	01713292 \$6,000,000.00 Continued				
SN 7540-01-					OPTIONAL FORM 335 (4-86)

CONTINUATION SHEET	reference No. of document being continued	PAGE	O#
	N00014-09-D-0696/0003	9	9

NAME OF OFFEROR OR CONTRACTOR

EM NO.					Alforder
WD.	\$uppliersenices	YTITIVAUS	UNIT	UNIT PRICE	THUDSKA
					
	The firm fixed price amount of this effort is	}		•	
	\$6,000,000.		\		
	The obligated amount of award: \$6,000,000.00. The	1	()	i	
	total for this award is shown in box 25.	1	[
		1			
		1			
		ł)
		1			1
			l		\
					[
]		
			1	}]
		}	}	}	1
		ţ			1
		l		Į	į
					[
			1	}	
		1	1	\	1
		1	1	,	
	1	l			1
	1	[Ì		į
	1	1			
		}	1	}	
			1	1	ĺ
		1			
	\	1	l	1	<u> </u>
		ł	-	li .	-
		1		ļ	1
		1	1		
		ļ	1	}	Ì
				1	ļ
		1		1	1
		1			
		i]	
		1	1)
		1		1	1
				{	1
		1			
		1		1	-
		1		•	1
		1			1
		1			
		Ì	1		

SECTION C - Description/Specifications

ONR 0095 Statement of Work- Task Order

The research effort to be performed hereunder shall be subject to the requirements and standards contained in Exhibit A and the following paragraph.

The Contractor shall conduct the research effort under CLIN(s) 0001 in accordance with paragraphs 3.0 through 4.0 of Attachment Number 1 Statement of Work entitled, "Enterprise Air Surveillance Radar (EASR) Study".

ONR 0122 Task Order

This task order award is applicable to CLIN 0002 of the basic contract, N00014-09-D-0696.

SECTION D - Packaging and Marking

ONR D Section D

This section was intentionally left blank.

SECTION E - Inspection and Acceptance

ONR 0120 Inspection and Acceptance- Order

Inspection and acceptance of deliveries under this order will be accomplished by the Contracting Officer's Representative designated below, who shall have thirty (30) days after delivery for acceptance.

Program Executive Office Integrated Warfare Systems 2 Attn: Ms Ana Diaz, 1333 Isaac Hull Avenue SE Washington Navy Yard DC 20376 E-Mail: ana.m.diaz@navy.mil

SECTION F - Deliveries and Performance

ONR 0043 Period of Performance for Task Order

The research effort performed under CLIN 0001 shall be conducted from date of task order award through eighteen (18) months.

The total period of performance of this task order shall not exceed eighteen (18) months.

OOONR 0119 Deliverable/Distribution- Task Order

Distribution, consignment and marking instructions for all deliverables under this task order shall be F.O.B. Destination in accordance with Enclosure Number 1 of Exhibit A. The address for the cognizant Program Officer is in Block 14 on the DD Form 1155 (Page 1) of this task order for items that cannot be sent electronically.

The Contractor shall deliver all SLINs in accordance with the schedule below:

SLIN NUMBER	REPORT NAME	NUMBER OF	DUE DATE
110112011	<u> </u>	REPORTS	
0001AA	Monthly Progress Report	1	No later than (NLT) 15 October 2013 After Receipt of Order (ARO)
0001AB	Monthly Progress Report	l	NLT 15 November 2013 ARO
0001AC	Monthly Progress Report	1	NLT 15 December 2013 ARO
0001AD	Monthly Progress Report		NLT 15 January 2014 ARO
0001AE	Monthly Progress Report	· I	NLT 15 February 2014 ARO
0001AF	Monthly Progress Report	1	NLT 15 March 2014 ARO
0001AG	Monthly Progress Report	, 1	NLT 15 April 2014 ARO
0001AH	Monthly Progress Report	I	NLT 15 May 2014 ARO
0001AJ	Monthly Progress Report	1	NLT 15 June 2014 ARO
0001AK	Monthly Progress Report	i	NLT 15 July 2014 ARO
0001AL	Monthly Progress Report	1	NLT 15 August 2014 ARO
0001AM	Monthly Progress Report	1	NLT 15 September 2014 ARO
0001AN	Monthly Progress Report	1	NLT 15 October 2014 ARO
0001AP	Monthly Progress Report	I	NLT 15 November 2014 ARO
0001AQ	Monthly Progress Report	1	NLT 15 December 2014 ARO
0001AR	Monthly Progress Report	1	NLT 15 January 2015 ARO
0001AS	Monthly Progress Report		NLT 15 February 2015 ARO
0001AT	Meeting Materials	([NLT 45 days ARO
0001AU	Meeting Materials	1	NLT 5 months ARO
0001AV	Meeting Materials	1	NLT 6 months ARO
0001AW	Meeting Materials	J	NLT 9 months ARO
0001AX	Meeting Materials	1	NLT 10 months ARO
0001AY	Meeting Materials	1	NLT 13 months ARO
0001AZ	Mecting Materials	1	NLT 14 months ARO
0001BA	Meeting Materials	11	NLT 17 months ARO
0001BB	Meeting Materials	1	NLT 18 months ARO
0001BC	Existing Radar System Detailed Design Description Report	Î	NLT 2 months ARO
0001BD	Proposed EASR System Description Document (SDD) Report	1	NLT 6 months ARO
0001BE	Proposed EASR System Radar Performance Study Report	l	NLT 10 months ARO
0001BF_	Program Management Plan	1	NLT 30 days ARO
0001BG	Total Ownership Cost (TOC) Model	1	NLT 10 months ARO
0001BH	Risk Reduction Demonstration Plan and Results Report	1	NLT 6 months ARO
0001BJ	Final Report	1	NLT 18 months ARO

SECTION G - Contract Administration Data

DFAR 252.232-7006 Wide Area WorkFlow Payment Instructions, (MAY 2013)

- (a) Definitions. As used in this clause-
- "Department of Defense Activity Address Code (DoDAAC)" is a six position code that uniquely identifies a unit, activity, or organization.
- "Document type" means the type of payment request or receiving report available for creation in Wide Area WorkFlow (WAWF).
- "Local processing office (LPO)" is the office responsible for payment certification when payment certification is done external to the entitlement system.
- (b) Electronic invoicing. The WAWF system is the method to electronically process vendor payment requests and receiving reports, as authorized by DFARS 252,232-7003, Electronic Submission of Payment Requests and Receiving Reports.
- (c) WAWF access. To access WAWF, the Contractor shall-
- (1) Have a designated electronic business point of contact in the System for Award Management at https://www.acquisition.gov; and
- (2) Be registered to use WAWF at https://wawf.eb.mil/ following the step-by-step procedures for selfregistration available at this web site.
- (d) WAWF training. The Contractor should follow the training instructions of the WAWF Web-Based Training Course and use the Practice Training Site before submitting payment requests through WAWF. Both can be accessed by selecting the "Web Based Training" link on the WAWF home page at https://wawf.eb.mil/
- (e) WAWF methods of document submission. Document submissions may be via web entry, Electronic Data Interchange, or File Transfer Protocol.
- (f) WAWF payment instructions. The Contractor must use the following information when submitting payment requests and receiving reports in WAWF for this contract/order:
- (1) Document type. The Contractor shall use the following document type(s).

Invoice as 2-in-1

(Contracting Officer: Insert applicable document type(s).

Note: If a "Combo" document type is identified but not supportable by the Contractor's business systems, an "Invoice" (stand-alone) and "Receiving Report" (stand-alone) document type may be used instead.)

(2) Inspection/acceptance location. The Contractor shall select the following inspection/acceptance location(s) in WAWF, as specified by the contracting officer.

Destination/Destination

(Contracting Officer: Insert inspection and acceptance locations or "Not applicable.")

(3) Document routing. The Contractor shall use the information in the Routing Data Table below only to

fill in applicable fields in WAWF when creating payment requests and receiving reports in the system. Routing Data Table* Data to be entered in WAWF Fleld Name in WAWF HO0337 Pay Official DoDAAC N00014 Issue By DoDAAC S2205A Admin DoDAAC Inspect By DoDAAC [] Ship To Code [] Ship From Code Mark For Code \$2205A Service Approver (DoDAAC) N00014 Service Acceptor (DoDAAC) [] Accept at Other DoDAAC D LPO DoDAAC N/A DCAA Auditor DoDAAC Other DoDAAC(s) (4) Payment request and supporting documentation. The Contractor shall ensure a payment request includes appropriate contract line item and subline item descriptions of the work performed or supplies delivered, unit price/cost per unit, fee (if applicable), and all relevant back-up documentation, as defined in DFARS Appendix F, (e.g. timesheets) in support of each payment request. (5) WAWF email notifications. The Contractor shall enter the e-mail address identified below in the "Send Additional Email Notifications" field of WAWF once a document is submitted in the system. ana.diaz@navy.mił [] (g) WAWF point of contact. (1) The Contractor may obtain clarification regarding invoicing in WAWF from the following contracting activity's WAWF point of contact, "Not applicable." (2) For technical WAWF help, contact the WAWF helpdesk at 866-618-5988. ONR 0046 Invoices

Invoices shall be submitted in accordance with Section G of the basic contract or ordering agreement.

ONR 0118 Type of Order

This is a firm fixed price task order.

ONR 5252,204-9722 Electronic Document Access (APR 2012)

The Office of Naval Research (ONR) award and modification documents are now available via the Electronic Document Access System (EDA). EDA is a web-based system that provides secure online access, storage, and retrieval of awards and modifications to Department of Defense (DoD) employees and vendors. An ONR representative will enter the contact information for vendor notification of up to two (2) vendor representatives into EDA for each contract. Once an executed ONR contract document is loaded into EDA, the designated vendor representative(s) will automatically receive an email notification that the document is available in EDA. The vendor is responsible for retrieving the document from EDA; ONR will no longer mail hard copies to vendors.

Each vendor is responsible for providing ONR with their vendor representatives' contact information as well as any changes to their contact information for each ONR contract. Vendors shall submit EDA vendor representative contact information changes to the cognizant ONR Contract Specialist or Contracting Officer of each ONR contract. Each request to change EDA vendor representative contact information shall include the following information:

- 1. Contract number
- 2. Email address
- 3. First name
- 4. Last name
- 5. Organization

Users must be aware that EDA inactivates user accounts for non-use after 90 days. Failure to use your account will result in inactivation. A password reset and EDA POC approval is required to reactivate account.

SECTION H - Special Contract Requirements

ONR 0038 Comprehensive Subcontracting Plan

The Contractor's Comprehensive Subcontracting Plan entitled Raytheon Comprehensive Small Business Subcontracting Plan For utilization of small, small disadvantaged, women-owned small business, veteran owned small business, service disabled veteran owned small business, small business, small business in HUB Zones and for Historically Black Colleges and Minority Institutions for Department of Defense Contracts.

, dated 26 September 2012, effective from 01 October 2012 through 30 September 2013 is hereby incorporated by reference.

ONR 0070 Consent to Subcontract and/or Hire Consultants

The services of the following subcontractors and/or consultants have been identified as necessary for the performance of this contract:

General Dynamics

The preceding listing of subcontracts were evaluated during negotiations as required by Paragraph (j) of the contract clause at FAR 52,244-2 entitled "Subcontracts" and therefore do not require consent in accordance with paragraphs (c) and (e) of the Subcontracts clause. This consent is based upon the information

submitted by the prime contractor in accordance with FAR 52.244-2 (e) (1) (i) through (vii).

For additional subcontracts beyond those listed above, the Contracting Officer's written consent to subcontract is only required in accordance with Paragraphs (b), (c), and (d) of FAR 52.244-2.

ONR has delegated contract administration to the Administrative Contracting Officer (ACO) at the cognizant Contract Administration Office (Block 7 of this DD Form 1155 or Block 6 of the Standard Form 26). Although ONR has provided authority to subcontract for the preceding list of subcontracts, ONR is not retaining any post award function for the consent of subcontracts in accordance with FAR 42.302(a)(51). Therefore, any consents to subcontract required in accordance with FAR 52.244-2 after contract award shall be submitted to the ACO for action.

ONR 5252.237-9705 Key Personnel (DEC 1988)

- (a) The Contractor agrees to assign to the contract tasks those persons whose resumes were submitted with its proposal and who are necessary to fulfill the requirements of the contract as "key personnel". No substitutions may be made except in accordance with this clause.
- (b) The Contractor understands that during the first ninety (90) days of the contract performance period, no personnel substitutions will be permitted unless these substitutions are unavoidable because of the incumbent's sudden illness, death or termination of employment. In any of these events, the Contractor shall promptly notify the Contracting Officer and provide the information described in paragraph (c) below. After the initial ninety (90) day period the Contractor must submit to the Contracting Officer all proposed substitutions, in writing, at least—thirty (30) days in advance forty-five (45) days if security clearance must be obtained, of any proposed substitution and provide the information required by paragraph (c) below.
- (c) Any request for substitution must include a detailed explanation of the circumstances necessitating the proposed substitution, a resume for the proposed substitute, and any other information requested by the Contracting Officer. Any proposed substitute must have qualifications equal to or superior to the qualifications of the incumbent. The Contracting Officer or his/her authorized representative will evaluate such requests and promptly notify the Contractor in writing of his/her approval or disapproval thereof.
- (d) In the event that any of the identified key personnel cease to perform under the contract and the substitute is disapproved, the contract may be immediately terminated in accordance with the Termination clause of the contract.

The following are identified as key personnel:

EASR Program Manager,
Chief Engineer,
Electrical Engineering Lead,
Mechanical Engineering Lead,
Demonstration Lead,
Software Lead,
Whole Life Engineering Lead,
Systems Engineering Support,

ONR 5252.242-9720 CONTRACTING OFFICER'S REPRESENTATIVE (COR) (SEP 1996)

The COR for this contract is:

Name: Ana Diaz

·Code: PEO IWS 2

Mailing Address: 1333 Isaac Hull Avenue SE

Washington Navy Yard, DC 20376

Telephone No: 202-781-5318

The Alternate COR for this contract is:

Name: None

Code: N/A

Mailing Address: N/A

Telephone No: N/A

The COR will act as the Contracting Officer's representative for technical matters, providing technical direction and discussion as necessary with respect to the specification or statement of work, and monitoring the progress and quality of contractor performance. The COR is not an Administrative Contracting Officer and does not have authority to take any action, either directly or indirectly, to change the pricing, quantity, quality, place of performance, delivery schedule, or any other terms and conditions of the contract (or delivery order), or to direct the accomplishment of effort which goes beyond the scope of the statement of work in the contract (or delivery order).

When, in the opinion of the contractor, the COR requests effort outside the existing scope of the contract (or delivery order), the contractor shall promptly notify the contracting officer (ordering officer) in writing. No action shall be taken by the contractor until the contracting officer (or ordering officer) has issued a modification to the contract (or delivery order) or has otherwise resolved the issue.

In the absence of the COR named above (due to reasons such as leave, illness, official travel), all responsibilities and functions assigned to the COR shall be the responsibility of the alternate COR acting on behalf of the COR.

SECTION I - Contract Clauses

This task order is subject to the Section I clauses of the basic contract, N00014-09-D-0696.

SECTION J - List of Documents, Exhibits and Other Attachments

Attachment Number	Attachment Title	Date	Number of Pages	Cross Reference Materials	Document Version
A	Exhibit A Contract Data Requirements List with Contract Data Requirements List for Instructions	08/27/2013	11		BASE
1	for Distribution Statement of	08/27/2013	9		BASE
2	Work Report Documentation Page	08/27/2013	Ī		BASE
3	Department of Defense Contract Security Classification Specification	08/27/2013	3		BASE
4	Contracting Officer's Representative Appointment Letter	08/27/2013	3		BASE

SECTION K - Representations, Certifications, and Other Statements of Bidders

ONR 0049 ONR and SAM Raps and Certs

The Contractor's SAM validation dated from: 03 April 2013 to 03 April 2014 is hereby incorporated into this contract by reference. ONR Contract Specific Representations and Certifications, dated 22 May 2013 are hereby incorporated by reference.

			EMENTS LIST				Form Ap OMB No. D	704-0188				
searching existing da regarding this burder Services Directorate	ta sources, gathering a estimate or any oth for information Open	g and maintaining th her aspect of this coll ations and Reports,	imated to average 440 h e data needed, and com- lection or information, in 1215 Jefferson Davis Hig 0188), Washington, DC	oleting and review cluding suggestion hway, Suite 1204	ving the ns for re	collecti: ducino i	on of Informati this burden, to	ion. Senc Washing	i comme ton Hea	dauarters l		
A. CONTRACT LINE	ITEM NO.		B. EXHIBIT			EGÖRY						
CLIN	0001 - EASR St	udv	I _A				TM]	OTHER	×		
D. SYSTEM/ITEM	<u> </u>	T	<u></u>	E. CONTRACT/PR	NO.		F. CONTRAC	TOR				
Enterprise Air St	urveillance Rada	r (EASR) TO 00:	10	N00014-09-D-0	0696/00		Raytheon	Compar	ıy			
1. DATA TIEM NO.	2. TITLE OF DATA 1	TEM				3. SVI	STITLE					
A001							····					
4. AUTHORITY (Data	Acquisition Docume	nt No.)	5, CONTRACT REFEREN	CÉ			UIRING OFFIC	Œ				
	Paragraphs 3.7, 3.11				WS 2			 _				
7. DO 250 REQ	9. DIST STATEMENT REQUIRED	10, FREQUENCY	12. DATE OF FIRST SUB		14.		TRIBUTION					
LT		Monthly		tile thotter innowing 1 I				b. COP	b. COPIES			
<u> </u>	1	 	Task Order (T			and Enclosure	Draft		ina!			
8. APP CODE	c	11. AS OF DATE	13. DATE OF SUBSEQUE SUBMISSION	EN I	Number See Bit		ang spulosure	Dian	ĺ	тна .		
	[0	Monthly the	reafter				<u> </u>	REQ	REPRO		
16. REMARKS					<u> </u>							
*Reports shall be in contractor format approved by the Program Officer. The contract shall provide Monthly Progress Reports (Technical) that contain a monthly status of technical progress, including approved metrics, schedule progress, key accomplishme or milestones, technical risk status (including the top risk's mitigation status and any recommendations), reliability analysis, updates to life cycle costs and objectives for the next month. It shall also include the status of the program measured against the baseline PMP. Copies of this report shall be distributed in accordance with Endosure Number 1. DISTRIBUTION C. Distribution authorized to U.S. Government agencies and their contractors; Administrative/operational use. Critical Technology; 23 Jan 2013. Other requests shall be referred to NAVSEA PEO IWS 2.						TAL						
G. PREPARED BY			H. DATE	L. APPROVED B	ST				J. DATE 23-Sep-13			
Dennis Cole [23-Sep-13]				PAINT CHAIRMAN				25-5				

					**************************************	TEN COMPANY	to a unit a sea un Tutte a la company					
	CONTRACT D	ATA REQUIRE	MENTS LIST		Form Approved ONB No. 0704-0188							
searching existing da regarding this burden Services Directorate (ta sources, gathering a estimate or any oth for information Open	g and maintaining the er aspect of this collections and Reports.	imated to average 440 h is data needed, and com lection or information, in 1215 Jefferson Davis Hig 0188), Washington, DC	pleting and review cluding suggestics hway, Suite 1204	ring the 15 for re	collection ducing i	on of Informa this burden,	ation. Se to Washi	ngton He	nents adquarters		
A. CONTRACT LINE I			8. EXHIBIT		C. CATI	EGORY		······································	····			
CLIN	0001 - EASR St	udy	A			TOP TM			OTHER	≀ X		
D. SYSTEM/ITEM				E. CONTRACT/PR	NO.		F. CONTRA		•			
Enterprise Air Su	ırveillance Rada	r (EASR) TO 00	10	N00014-09-D-0	1696/00	03	Raytheor	n Comp	any			
1. DATA ITEM NO.	2. TITLE OF DATA I	TEM		L		3. SUI	BTITLE	· - · -				
A002												
4. AUTHORITY (Data		nt No.)	5. CONTRACT REFEREN	CE		6. REQ	UIRING OFF	ICE				
		Paragraphs 3.8.1,3.8 3.14.2;and 4.2 of 50		,		WS 2						
7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUENCY	12. DATE OF FIRST SUB	MISSION	14. DISTRIBUTION							
LT	ALQUINED .	As Regulred	As Rec		ADDRESSEE				b. COPIES Draft Final			
8. APP CODE	С	11. AS OF DATE	13. DATE OF SUBSEQUE SUBMISSION				e Biock 16 and Enclosure mber 1			Final		
Š		N/A	As Re	3	L				REQ	REPRO		
16. REMARKS	<u> </u>											
					15. TO							
Reports shall be in contractor format approved by the Program Officer. Meetings will be scheduled as contained within the SOW. Presentation materials shall address the requirements contained within the SOW. Presentation materials shall be submitted as read-ahead no later than 5 calendar days (48 hours for TIM material) before each meeting. Agendas will be submitted to the Government for concurrence no later than one (1) calendar week before the meeting. Deliver detailed minutes and corrected viewgraphs with action items to the Government nit ten (10) days after conclusion of the meeting. Copies of this report shall be distributed in accordance with Enclosure Number 1.												
contractors: Admi	DISTRIBUTION C. Distribution authorized to U.S. Government agencies and their contractors; Administrative/operational use. Critical Technology; 23 Jan 2013. Other requests shall be referred to NAVSEA PEO IWS 2.											
G. PREPARED BY		·	H. DATE	L. APPROVED E	Υ			P -). DATE			
Dennis Cole 23-Sep-13 Lynn Christian								23	-Sep-1	3		

									<u></u> _		
		ATA REQUIR			i 		Form App OMB No, 07	04-0188			
searching existing da regarding this burder Services Directorate	eta sources, gathering n estimate or any oth for information Open	g and maintaining the ner aspect of this collations and Reports,	imated to average 440 has data needed, and com lection or information, in 1215 Jefferson Davis Hig -0188), Washington, DC	pleting and review duding suggestion hway, Suite 1204	ring the	collection ducing	on of information this burden, to	n. Seno Washing	l comme ton Hea	douarters	
A. CONTRACT LINE			B. EXHIBIT	· · · · · · · · -	C. CATEGORY						
CLIN	0001 - EASR St	rudv.	A				TM] (OTHER	×	
D. SYSTEM/ITEM			E. CONTRACT/PE				F. CONTRACT	OR			
Enterprise Air S	urveillance Rada	r (EASR) TO 00	10 N00014-09-D-0			03	Raytheon C	Company			
1. DATA ITEM NO.	2. TITLE OF DATA					3. SU	STITLE				
A003			sign Description Repo			<u> </u>					
4. AUTHORITY (Data	Acquisition Docume	nt No.)	5. CONTRACT REFEREN			6. REQ	UIRING OFFICE	-			
			Paragraph 3.1, 4.3 o				WS 2			·	
7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10, FREQUENCY	12. DATE OF FIRST SUE	MISSION	14. DISTRIBUTION						
LT		once	no later than two after TO a		ADDRESSEE			b. COP	ies		
8. APP CODE	c	11. AS OF DATE	13. DATE OF SUBSEQUE SUBMISSION	ENT	See Block 16 and Enclosure Number 1			Draft	Final		
	1	N/A	none	!				1 1	REQ	REPRO	
16. REMARKS	<u> </u>										
Reports shall be in	n contractor forma	it approved by the	Program Officer. Th	e contractor				1			
performance relation hardware, software, software to support any claimed by the coarchitecture description operating frequent supportability; cosystem's required (air or water); excost; overall system overage, dynamicoverage, dynamicoverage, dynamicoverage, and electrological properties address support, explain a copies of this republishments address support, explain a contractors; Administrations	tive to the EASR re- re, and firmware. " re, and firmware." rims that this exist intractor. Response ribing the system a ricles, operational of riggeration drawin geometric footpri- isting radar system and individual adiness Levels (Mi med on the existin ic range, clutter at onic protection); a rem. provide the data d rised at the Kick-Of and summarize the rort shall be distrib Distribution auti-	equirements, and a tris description of this description of the	e with Enclosure Num vernment agencies a Technology; 23 Jan 20	of all existing documentation and commentation are capabilities as system and cooling and production all (TRL) and a system levels attention as idelobe ability of the address of the cooling and production are system levels at the cooling and production are system levels at the cooling are the cooling	15. 70						
G. PREPARED BY			H. DATE	L. APPROVED &	-			J. DA	те ер-13		
Dannie Cola			23-Sep-13	T PARTIC PRESTIGN				14373	ニローてつ		

	001170	ATA DESTINA	- NA - NA		-	والمرادون المؤدنات	Form App	roved			
	•	ATA REQUIR					OMB No. 07	04-0188			
searching existing da regarding this burder Services Directorate	ta sources, gathering estimate or any oti for information Oper	g and maintaining the ner aspect of this collections and Reports,	timated to average 440 h ne data needed, and com lection or information, in 1215 Jefferson Davis Hig -0188), Washington, DC	pleting and reviev cluding suggestion hway, Suite 1204	ving the ns for re	collecti ducina	on of Informatio this burden, to	on. Send Washing	l comme ton Hea	ints Cauarters	
A. CONTRACT LINE			в. ехнівіт		C. CAT	EGORY					
CLIN 0001 - EAS	R Study		A				TM	1	OTHER	X	
D. SYSTEM/ITEM			E. CONTRACT/PR				F. CONTRACT			1	
Enterprise Air St	ırveillance Rada	r (EASR) 10 00	10	N00014-09-D-I	0696/00		Raytheon (.ompany			
1. DATA ITEM NO.	2. TITLE OF DATA					3. SU	BTITLE			Į.	
A004		System Description Document (SDD) Report				C 000	UIRING OFFICE				
4. AUTHORITY (Data	Acquisition Docume	nt No.)	5. CONTRACT REFEREN Paragraph 3.3, 4.4 o		i		IWS 2	Ξ.		1	
7. DD 250 REQ	9. DIST STATEMENT	10. FREQUENCY	12. DATE OF FIRST SUE		14.		TRIBUTION				
_	REQUIRED	}		_	}	ADDR	ESSEE	b. COP	ES		
ĻT	1	As Necessary	no later than six (6 after TO award) Inditals]	11.0					
8. APP CODE	lc	11. AS OF DATE	13. DATE OF SUBSEQUE	NT			and Enclosure	Draft	F	inal	
			SUBMISSION	. 15	Numbe	er 1			REQ	REPRO	
16. REMARKS	L	N/A	See block	<u> </u>	 				1111-0		
!		annound by the	Program Officer, Build	fing on the				1		<u> </u>	
characteristics of i	the existing radar	system, the confi	ractor shall develop a	concept of	15. TO	TAL					
predicted perform proposed hardwar to: system archite operational capab drawing(s) illustra footprint and an e and individual sub	ance relative to the software, and for the software, and for the software, and for the software of shipbo paystem's Technology shall address.	ne EASR requirem firmware. Respons the system and suntal specifications, ing the proposed and power and cor- ogy Readiness Levess scalability of the second cor-	of the proposed EASR ents, and describe the ses should include, but the systems, operating for and supportability; consistem's required geophing (air or water); overs (TRL). The proposed EASR race is collability can be added.	e maturity of all t not be limited requencies, onfiguration metric verall system far to meet							
appendix to the E	ASR SDD. as of the EASR an	e recom <i>m</i> ended fo	or backfit versus forwa	ard fit, e.g. a					}		
rotating antenna :	for backfit and sta same amount of d	tionary arrays for	forward fit, both vers	ions shall be	{						
comments address	sed at the Techni	cal/Program Revis	duding corrections and ew. It shall include wri hnical/Program Reviev	tten narrative							
This report shall be updated as necessary and included as an appendix in the Final Report (CDRL A005).								<u> </u>	1		
ħ .			ce with Enclosure Nun								
Contractors: Adm	inistrative/operati	horized to U.S. Go ional use. Critical NAVSEA PEO IWS	overnment agencies a Technology; 23 Jan 20 5 2.	nd their 013.							
G. PREPARED BY	ion be refer to the		H. DATE	L. APPROVED				I. DA			
Dennis Cole			(23-Sep-13	Lynn Christian	<u> </u>	-		23-S	ep-13		

				reanneau de contrare proportion de la contrare de l	··						
	CONTRACT D				Form Approved OMB No. 8784-0188						
searching existing da- regarding this burden Services Directorate (ta sources, gathering , estimate or any oth for information Opera	gand maintaining the er aspect of this coll ations and Reports,	imated to average 440 h e data needed, and com lection or information, in 1215 Jefferson Davis Hig 0188), Washington, DC	oleting and review cluding suggestion hway, Suite 1204,	ing the as for re	collection (on of information this burden, to	n. Send Washing	ton Head	lquarters	
A. CONTRACT LINE I	•	····	B. EXHIBIT		C. CAT	EGORY					
	0001 - EASR St	udv (Α		TOP		тм	•	отнея [×	
D. SYSTEM/ITEM				E. CONTRACT/PR	NO.		F. CONTRACT	TRACTOR			
Enterprise Air St	rvelllance Radar	r (EASR) TO 00:	10	N00014-09-D-0	696/00	93	Raytheon C	ompar 	ıy		
1. DATA ITEM NO.	2. TITLE OF DATA I	TEM			_	3. SU	37ITLE				
A005	Final Report										
4. AUTHORITY (Data	Acquisition Documer	ıt No.)	5. CONTRACT REFEREN			-	UIRING OFFICE	•		Į	
			Paragraph 3.8.2, 4.5		أحرب		WS Z				
7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUENCY	12. DATE OF FIRST SUB	MISSION	14.	D15	RIBUTION				
.DD		Once	At contract cos		ADDRESSEE			b. COPIES			
8. APP CODE	C	11. AS OF DATE	13. DATE OF SUBSEQUE SUBMISSION	NT	See Block 16 and Enclosure Number 1			Draft	. Fi	na!	
A		N/A	None					<u> </u>	REQ	REPRO	
16. REMARKS Reports shall be in shall be delivered reduction achieved Document (SDD) Report; (CDRL AD A006), and Total (also include a sum future efforts needelements, and the (TRL/MRL) suitably update the include latest information Copies of this republication of the contractors; Admi Other requests shall be included to the contractors; Admi Other requests shall be included to the contractors; Admi	nd risk em Description and Results eport; (CDRL s. It should endations for elved risk s Levels eport shall o include the ber 1.	15. TO	TAL								
G. PREPARED BY			H. DATE	L. APPROVED 8	Ϋ́			1. DATE 23-Sep-13			
Dennis Cole 23-Sep-13 Lynn				Lynn Christian				25-5	ep~13		

CONTRACT DATA REQUIREMENTS LIST						Form Approved OMB No. 0704-0188					
searching existing da regarding this burder Services Directorate	ta sources, gathering n estimate or any oth for information Opera	g and maintaining the er aspect of this coll ations and Reports, :	(mated to average 440 h is data needed, and com lection or information, in 1215 Jefferson Davis Hig 0188), Washington, DC	pieting and reviev cluding suggestion hway, Suite 1204	ving the ns for re	collecti ducing	on of Informatio this burden, to	n. Seno Washino	i comme ton Hea	douarters	
A. CONTRACT LINE					TC, CATEGORY						
CLIN 0001 - EASR Study			A				TH:	t .	OTHER!	x	
D. SYSTEM/ITEM	OOOT - LWOK OF	<u> </u>	E. CONTRACT/PR				F. CONTRACT	OR			
Enterprise Air Su	urveillance Rada	r (EASR) TO 00:	110		Raytheon			Company			
		(,	N00014-09-D-0								
1. DATA ITEM NO.	2. TITLE OF DATA I	TEM				3. SUBTITUE					
A006	1		ormance Study Repor	t							
4. AUTHORITY (Data			5. CONTRACT REFEREN		6. REQUIRING OFFICE						
·	·		Paragraph 3.4 , 4.6 o				IWS 2				
7, DO 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUENCY	12. DATE OF FIRST SUE	MISSION	14.	DIS	DISTRIBUTION				
LŤ	Redomen	As Necessary	no later than ten	(10) months		ADDR	esseé	b. COP	iES		
		1	after TO a	ward	}						
8. APP CODE	c	11. AS OF DATE	13, DATE OF SUBSEQUENT See		See Ble Number	dock 16 and Enclosure per 1		Draft FI		lne!	
	Ì	N/A	See block	(16	·	<u></u> -		<u> </u>	REQ	REPRO	
16. REMARKS	<u></u>	J		·							
Reports shall be in contractor format approved by the Program Officer. The contractor shall provide the results of the Performance Assessment of the Proposed EASR System.					15. TO	TAL				·	
Appendices to this report shall describe computational tools used to obtain the results. The report shall include corrections and responses to comments addressed at the TIM or Technical/Program Review. It shall include written narrative to support, explain and summarize the data and TIM or Technical/Program Review discussions. This Proposed EASR System Radar Performance Study Report shall be updated as necessary and included as an appendix in the Final Report (CDRL A005). Copies of this report shall be distributed in accordance with Enclosure Number 1. DISTRIBUTION C. Distribution authorized to U.S. Government agencies and their contractors; Administrative/operational use. Critical Technology; 23 Jan 2013. Other requests shall be referred to NAVSEA PEOIWS 2.											
G. PREPARED BY			H. DATE 23-Sep-13	L. APPROVED I				1	ер-13		
LIJennis Cole			123 344 45	1 - 2				4			

												
CONTRACT DATA REQUIREMENTS LIST					Form Approved OMB No. 0704-0188							
searching existing da regarding this burden Services Directorate i	ta sources, gathering restimate or any oth for information Opera	g and maintaining the ner aspect of this coll ations and Reports, I	imated to average 440 he e data needed, and com- ection or information, in 1215 Jefferson Davis Hig 0188), Washington, DC	oleting and review cluding suggestion hway, Suite 1204	ring the as for re	collection ducing	on of information this burden, to	n. Send Washing	comme	douarters		
						EGORY						
	-	udir	A		TOP TM OTHER X							
CLIN 0001 - EASR Study D. SYSTEM/ITEM				E. CONTRACT/PR								
Enterprise Air Su	irveillance Radai	10	N00014-09-D-0		03	Raytheon C	ompar	n y				
1. DATA ITEM NO.	2. TITLE OF DATA I	TEM				3. SU	BITTLE					
A007	Program Manage	ment Plan (PMP)				<u> </u>						
4. AUTHORITY (Data	Acquisition Documer	nt No.)	5. CONTRACT REFEREN	CÉ	6. REQUIRING OFFICE							
•			Paragraphs 3.7,3.11	and 4.7 of SOW	N PEO IWS 2					1		
7. DD 250 REQ	9. DIST STATEMENT	10. FREQUENCY	12. DATE OF FIRST SUB	MISSION	14-	DIS	TRIBUTION					
]	REQUIRED	1 1	20 days often 1	brewe O	 	ADDR	ESSEE	ь. сор	ES			
LT	_	As Necessary	30 days after 1 13. DATE OF SUBSEQUE		Con B			Draft		inal		
8. APP CODE	C I	III. AS UF DATE	SUBMISSION	.14)	Numbe	Block 16 and Enclosure aber 1						
	ļ	N/A	See block	(16	L				REQ	REPRO		
16. REMARKS		,										
Reports shall be in Co	ontractor format app	roved by the Program	n Officer. The contracto	r shall develop a								
Program Managemen	it Plan (PMP) with as	a associated Contract	: Work Breakdown Struct	ure (CW8S)	15. TO	TAL						
down to Level 3 that	is directly traceable	to the overall progra	im schedule, and provide	es visibility and	ì							
accountability to the	lowest level necessa	ary to reflect the way	the work is being perfor	med. The	Į.			S		Ī		
Program Managemer	it Plan shall include a	a description of the t	contractor's management	structure; an	Į			Į i		(
organization chart si	lowing the Key Perso	onnel assigned to the & Cookert (POC) for e	project and their respons sach area. The PMP shall	isiomices, and Laiso lociude a	1			[:		1		
Contact Information	or principal Points of ⇒ and a description i	of the process that w	vill be used to monitor 5	cheriule status				i 1	,			
during the effort it	shaif also nmvide a r	process to assess the	risks associated with pr	ogram, schedule				[
and achievement of	technical requiremen	nts. Specific risk men	agement functions shall	include as a	}				•			
minimum: (1) Identi	fy known and potent	tiai risks; (2) Assess	risks, including a relative	tranking by	ļ			1	}	ì		
program impact and	probability of risk be	eing realized, and esi	tablish critical thresholds	; (3) Define	ľ				t	[
methods or alternati	ves to mitigate or m	inimize these risks, i	ncluding the Identificatio	n of criteria upon	ì					l		
which programmatic	decisions must be n	nade to initiate alten	natives or make other pr	ogrammatic	(·	`)		
changes. The Gover	nment may also idea	ntify risks for the col	tractor to track and repo	ort. The PMP	1			1 :	ļ	ļ		
shall include emphas	ds on performance m	netrics, risk manager	nent and the contract we threshold and celling va	one for	ĺ							
structure. The Initia	i pmp snall provide a	s baseine containing established at the on	till estitio dito beiling vo. eat of the program	uęs Ibi,	ļ			}	}			
schedule, and perior	Weises hereunerera e	Sardbitance of the All	סקנ טי מוב איספיטיוי					Į	ļ			
 Subsequent undates	revisions to PMP sh	all clearly show chan	iges against the baseline	. The PMP shall	1			1	ł			
he briefed at the kic	k-off meeting and de	alivered to the Gover	nment with the Meeting	Materiais in	1			1	ì	}		
the briefed at the kick-off meeting and delivered to the Government with the Meeting Materials in accordance with CDRL A902.					1			{	({		
										1		
Copies of this report shall be distributed in accordance with Enclosure Number 1.									[1		
DISTRIBUTION C. Distribution authorized to U.S. Government agencies and their contractors; Administrative/operational use. Critical Technology; 23 Jan 2013. Other requests shall be referred to NAVSEA PEO IWS 2.												
C phone are av			H. DATE	L. APPROVED E				J. DA	TE	<u></u>		
G. PREPARED BY			23-Sep-13	Lynn Christian				23-Sep-13				
Dennis Cole			73-26h-72	Lymi Christian				د ده ر	23-26b-13			

									 _		
CONTRACT DATA REQUIREMENTS LIST						Form Approved OMB No. 0704-0188					
searching existing da regarding this burden Services Directorate I	ta sources, gathering a estimate or any oth for information Opera	g and maintaining the per aspect of this coll ations and Reports, :	mated to average 440 h e data needed, and com ection or information, in 1215 Jefferson Davis Higi 0188), Washington, DC	pleting and review studing suggestion hway, Suite 1204,	ing the	collection :	on of info this burd	emation len, to V	n. Send Vashing	comme ton Hea	dquarters
A. CONTRACT LINE ITEM NO. B. EXHIBIT C						EGORY					
		udv	A				l тм.Г		(OTHER	- -
CLIN 0001 - EASR Study A E. CONTRACT/PR				TOP		F. OFFE	EROR			 {	
i '					.,, -,				Almmaa	137	į.
Enterprise Air Surveillance Radar (EASR) TO 0010 N00014-09-D-06				Raytheon Company 0696/0003							
1. DATA TIEM NO.	2. TITLE OF DATA I	TEM				3. SUI	TITLE				
A008	Total Ownership	Cost (TOC) Model				i					
4. AUTHORITY (Data	Acquisition Docume	nt No.)	5. CONTRACT REFEREN	CE .		6. REQ	UIRING	OFFICE			
		}	Paragraph 3.5 and 4.	8 of SOW	į	PEO 3	WS 2				
7. DD 250 REQ	9. DIST STATEMENT	10. FREQUENCY	12. DATE OF FIRST SUB	MISSION	14.	DISTRIBUTION					
LT	REQUIRED	As Necessary	no later than ten after TO a		ADDRESSEE			b. COPIES		-	
8. APP CODE	c	11. AS OF DATE	13. DATE OF SUBSEQUE SUBMISSION	NT	See Block 16 and Enclosure Number 1		sure	Draft	F	inai	
	[N/A	See block	: 16	,			ì	ı j	REQ	REPRO
The Contractor shall deliver the cost model software that is used to generate the Total Ownership Cost (TOC) estimates on this contract. Information required to use the model such as user guides, documentation, and assumptions, shall be included with the submittal. The model shall include development, production, Operations and Sustainment (O&S), disposal costs, and software source lines of code (SLOC). Format shall reflect the Government-approved Contractor Work Breakdown Structure (CWBS). The model will contain the CWBS data element dictionary. The TOC model shall be submitted in MS Excel format and have the ability to be edited (hours, rates, etc.) to immediately observe impact to the total price via links and formulas native to MS Excel. All distributions shall be delivered via CD ROM. Filenames must be 20 characters or less in length and contain no special characters. Files must be no more than four foiders deep. Upon submission, the Contractor shall notify the Government (PCO, PM and data manager) by Letter of Transmittal via e-mail that the data has been posted on the ICDS. The Total Ownership Cost Model shall be updated at the Final Review, and included as an appendix with the Final Report (CDRL A005). Copies of this report shall be distributed in accordance with Enclosure Number 1. DISTRIBUTION C. Distribution authorized to U.S. Government agencies and their contractors; Administrative/operational use. Critical Technology; 23 Jan 2013. Other requests shall be referred to NAVSEA PEO IWS 2.					15. 70	TAL					
G. PREPARED BY Dennis Cole 1. APPROVED B Lynn Christian				-	J. DATE 23-Sep-13						

CONTRACT DATA REQUIREMENTS LIST						Form Approved OMB No. 0704-0188					
Public reporting burden for this collection of information is estimated to average 440 hours per response, including the time for review searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information regarding this burden estimate or any other aspect of this collection or information, including suggestions for reducing this burden, to 1 Services Directorate for information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, at Management and Budget Paperwork Reduction Project (0704-0188), Washington, DC 20503.							n. Seno Washing	comme ton Hea	nts dquarters		
A. CONTRACT LINE ITEM NO.						C. CATEGORY					
	0001 - EASR St	udv	la l			TOP TM		OTHER X		×	
D. SYSTEM/ITEM			<u> </u>	E. CONTRACT/PR	NO.		F. OFFEROR				
Enterprise Air Su	rveillance Rada	r (EASR) TO 00:	10 N00014-09-D-0696/00			03	Raytheon Company				
1. DATA ITEM NO.	2. TITLE OF DATA I	TEM .	اــــــــــــــــــــــــــــــــــــ			3. SU	TITLE				
A009			and Results Report			0. -0 .					
4. AUTHORFTY (Data			5. CONTRACT REFEREN	CE		6. REC	UIRING OFFICE				
11.7011010111 (2010	20040300000	,	Paragraph 3.6 and 4.	9 of SOW	PEO IWS 2						
7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUENCY	12. DATE OF FIRST SUB		14.	DISTRIBUTION					
LT	- Markonizen	As Necessary	Within six (6) montaward	ths after TO	ADDRESSEE			b. COPIES			
8. APP CODE	C	11. AS OF DATE	13. DATE OF SUBSEQUENT SUBMISSION		See Block 16 and Enclosure Number 1		Draft:	Final			
		N/A	See block 16		<u> </u>]	REQ	REPRO	
16. REMARKS				_							
Reports shall be in	contractor forma	t approved by the	Program Officer. The	Risk							
Reduction Demons Reduction Demons	stration Plan and F strations, and shal	lesuits Report sha I describe the rad	Il include results of the ar characteristics as to	ested.	15. TOTAL						
Undates to the Ris	k Reduction Demo	d Results Report shall Reviews and TIMs (a:	be addressed								
Copies of this report shall be distributed in accordance with Enclosure Number 1.]						
DISTRIBUTION C. Distribution authorized to U.S. Go contractors; Administrative/operational use. Critical Other requests shall be referred to NAVSEA PEO IWS			Technology; 23 Jan 2013.								
G. PREPARED BY			H. DATE	L. APPROVED B	Υ			J. DATE			
Dennis Cole			23-Sep-13	Lynn Christian 23			23-5	ep-13			

CONTRACT DATA REQUIREMENTS LIST INSTRUCTIONS FOR DISTRIBUTION

DISTRIBUTION OF TECHNICAL REPORTS AND FINAL REPORT

(A SF 298 must accompany the final report)

*	*	♦ NUMBER OF COPIES					
ADDRESSEE	DODAAD CODE	UNCLASSIFIED/ UNLIMITED	UNCLASSIFIED/LIMITED AND CLASSIFIED				
Program Officer	1						
E-mail: Dennis.j. Cole@navy.mil	N00024	1	1				
John Stewart	N00164	1	1				
E-mail: john.s.stewart@navy.mil	l		<u> </u>				
Contracting Officer Representative	N00024	1	1				
Ana Diaz	}	†					
E-mail: Ana.m.diaz@navy.mil	<u> </u>						
David Starkston	N00014	1	1				
E-mail david.starkston.ctr@navy.mil		<u></u>	<u> </u>				
Administrative Contracting Officer*	S2205A	1	1				
Director, Naval Research Lab]						
Aftn: Code 5596	N00173	1	1				
4555 Overlook Avenue, SW	1		ļ				
Washington, D.C. 20375-5320]						
E-mail: reports@library.nrl.navy.mil	<u> </u>		<u> </u>				
Defense Technical Information Center] = = = ::						
ATTN: DTIC-OA (Eva Adams or Shari	HJ4701	2	2				
Pitts)			, 1				
8725 John J. Kingman Road STE 0944			*				
Ft. Belvoir, VA 22060-6218	1						
E-mail: TR@Dtic,mil			<u> </u>				

^{*} Send only a copy of the transmittal letter to the Administrative Contracting Officer; do not send actual reports to the Administrative Contracting Officer.

ELECTRONIC SUBMISSIONS OF TECHNICAL REPORTS IS PREFERRED AND ENCOURAGED. ELECTRONIC SUBMISSION SHOULD BE SENT TO THE E-MAIL ADDRESSES PROVIDED IN THE ABOVE TABLE, HOWEVER PLEASE NOTE THE FOLLOWING:

- Only Unlimited/Unclassified document copies may be submitted by e-mail.
- Unclassified/Limited has restricted distribution and a classified document (whether in its entirety or partially) is to be distributed in accordance with classified material handling procedures.
- Electronic submission to DIRECTOR, NAVAL RESEARCH LAB, shall be unclassified/unlimited reports and 30 pages or less. If unclassified and more than 30 pages, hardcopies of reports must be mailed.

Contract N00014-09-D-0696 Task Order 0003 Enclosure 1 Page 1 of 2 • Electronic submission to DTIC shall be unclassified/unlimited reports. If submission is for limited documents, please send them in on a disk or sign up for DTIC's web-based document submission system at http://www.dtic.mil. DTIC prefers .pdf, .tif, and .ps files; however, other formats will also be accepted. NOTE: DTIC can no longer accept the following file types via <a href="mailto:emai

If the Program Officer directs, the Contractor shall make additional distribution of technical reports in accordance with a supplemental distribution list provided by the Program Officer.

DISTRIBUTION OF PROGRESS REPORTS

The minimum distribution for progress reports is as follows:

		NUMBER OF COPIES					
ADDRESSEE	DODAAD CODE	UNCLASSIFIED / UNLIMITED	UNCLASSIFIED/ LIMITED AND CLASSIFIED				
Program Officer	N00024	1	1				
E-mail: Dennis.j.cole@navy.mil							
John Stewart	N00164	1	I				
E-mail: john.s.stewart@navy.mil							
David Starkston	N00014	1	1				
E-mail david.starkston.ctr@navy.mil		1					
Contracting Officer Representative		1	1				
Ana Diaz	N00024						
E-mail: ana.m.diaz@navy.mil							
Administrative Contracting Officer*	S2205A	l i	ŢĪ.				

^{*}Send only a copy of the transmittal letter to the Administrative Contracting Officer; do not send actual reports to the Administrative Contracting Officer.

Statement of Work

Enterprise Air Surveillance Radar (EASR) Study Task Order 0003

1. Background

Issues of obsolescence and diminishing manufacturing resources (DMS) are becoming critical for both the AN/SPS-48E/F and AN/SPS-49A(V)1 radars. This affects both logistic support and new ship construction. As a result, the Government has identified the need for developing a new radar which will assume the capabilities of both the AN/SPS-48 and the AN/SPS-49 radars for both backfit on existing ships and forward fit for new ship construction. This new radar will be referred to as the Enterprise Air Surveillance Radar (EASR).

The EASR envisioned must meet the aggregate performance needs of the different candidate ship classes for ship self-defense, situational awareness, and air traffic control, but will not necessarily represent a superset of current SPS-48/49 requirements. The requirements for EASR are listed in Reference Number 5.1 entitled, "Reliability, Availability, and Maintainability", Reference Number 5.2 entitled, "Shipboard Environmental Parameters", Reference Number 5.3 entitled, "SPS-48/49 Size, Weight and Power Values" and Reference Number 5.4 entitled, "EASR Performance Requirements Weapon". Support is limited to coarse designations to multi-function radars (e.g. AN/SPY-3) or tracking illuminators (e.g. Mk 95) as well as to launchers (e.g. Rolling Airframe Missile (RAM), and Evolved Sea Sparrow Missile (ESSM)). There is no requirement for mid-course guidance and/or slaved illumination. The Government considers either L-band (1215-1400 MegaHertz (MHz)) or S-band (2900-3400 MHz) as the most likely operating band for this radar, but other bands may be considered.

Affordability of the new EASR radar is a major consideration for this solicitation and the requirements listed reflect performance trade-offs deemed necessary to achieve cost goals.

In back fit installation, above deck equipment with a weight and footprint (Reference 5.3 entitled, "SPS-48/49 Size, Weight and Power Values" similar to that of the combined AN/SPS-48 or AN/SPS-49 systems may represent the most desirable solution. In forward fit new construction, commonality of antenna/sub-array/subsystems with the back fit system are desired to the extent practical.

Smaller versions of the EASR scaled from the primary system, that could be used on smaller Navy ships as well as U.S. Coast Guard vessels must also be addressed during the EASR study. Two (2) examples for sizing these scaled versions are to reduce the range and altitude requirements specified for the primary system in the classified addendum to 70% in one variation and 50% in the other variation of the values against the same targets. As appropriate for the scaled variants, corresponding reductions in clutter improvement factor, dynamic range, and accuracy are acceptable. Scalability will ensure that the antenna technology used in both concepts will be common.

The AN/SPS-48/49 radar suite provides air surveillance capability on eleven (11) "Big Deck" Amphibious Assault Ships LHD/LHA and eleven (11) Aircraft Carrier (CVN) platforms and these are all candidates for the EASR backfit. The AN/SPS-49 is installed separately from the AN/SPS-48 on twelve (12) Landing Ship Dock (LSD)-class ships scheduled to retire by 2035 and four (4) land sites. No backfit requirements exist for these SPS-49 radars. The AN/SPS-48 is installed separately from the AN/SPS-49 on twelve (12) Amphibious Transport Docks (LPD)-class ships and six (6) land sites. These are candidates for an EASR backfit. For new ship construction it is noted that the U.S. Navy Intends to maintain a fleet of eleven (11) each of the LHD/LHA class and of the CVN class by building one each every five (5) years, with fifty (50)-year service-life expectancies. The smaller variant is a candidate for new Coast Guard Cutters and for the Littoral Combat Ship (LCS).

2. Objective

The objective of Task Order (TO) 0003 is to identify radar concepts for which a substantial hardware base already exists and to show by analysis and/or incremental hardware development and demonstration how this radar concept can be evolved to meet the stated EASR requirements. A combination of analysis, combined with prototyping of critical subsystems and/or technology components to demonstrate risk reduction of any upgrades proposed to the existing radar system, and testing as applicable to risk reduction demonstration will be conducted. The contractor shall determine the mix of analysis, hardware prototyping, and test which provide the highest level of risk reduction Contract N00014-09-D-0696

Task Order 0003

Page 1 of 10

for the EASR system.

3. Requirements

The contractor shall commit the following capital investment equipment, which includes servers, switches, storage, software, other IT equipment pertinent to the demonstration phase, and some modifications to the contractors Far Field Test Range in Pelham, NH necessary to support the EASR demonstration. In addition, for the purpose of conducting the demonstration, the contractor shall provide the entire front end electronics from their Closed Loop Track Demo (CLTD), a previous company funded demonstration program. This investment includes the Radiator Panel, Overlap Beamformer, Radar Modular Assembly (RMA), Transmit/Receive Integrated Multichannel Modules (TRIMMs), and Digital Receiver/Exciter Modules.

The contractor shall perform the following tasks.

3.1 Description of Existing Radar System

The contractor shall present an in-depth description of the existing radar system at the Kick-Off meeting. The contractor proposed EASR Concept is based upon the Radar Modular Assemble (RMA) architecture matured and demonstrated on Air and Missile Defense Radar (AMDR) and the software design developed and demonstrated on Dual Band Radar (DBR). The contractor shall provide an indepth description of the leveraged RMA architecture and the DBR software at the kick-off meeting. The presentation shall provide:

- 3.1.1 A description of the proposed EASR system architecture and subsystem definitions including identicality with configuration items from legacy programs.
- 3.1.2 EASR predicted performance relative to the EASR requirements.
- 3.1.3 Discussion of EASR ship fit including SWAP (space, weight & power), environmental performance and supportability.
- 3.1.4 An in-depth description of the RMA architecture and the DBR software architecture.
- 3.1.5 A description of the maturity of all existing hardware, software, and firmware items including demonstrated performance and manufacturing and technical maturity levels.

The contractor shall deliver the Existing Radar System Detailed Design Description in accordance with CDRL A003.

3,2 Proposed EASR System

Building on the characteristics of the existing radar system, the contractor shall develop an approach for evolution of the radar to meet the requirements of the EASR system, which will be referred as the "Proposed EASR System". Utilizing the RMA architecture and the DBR software the contractor shall develop the proposed EASR concept to a preliminary design level. This shall include the design of a full size, tactical array structure, pedestal and rotary joint.

The contractor shall perform study tasks which shall provide the following outputs:

- 3.2.1 A detailed description of the required modifications to the existing AMDR & DBR hardware, software and firmware items to meet the EASR performance, ship fit and environmental requirements. This shall include the assessment of the associated development cost and schedule.
- 3.2.2 A detailed description of ship fit requirements for both back fit on existing platforms and forward fit on new ship construction. This shall include estimates of topside weight and a center of gravity assessment compared with the current SPS-48/49 systems, swing circle or superstructure size, and prime power requirements.
- 3.2.3 The contractor shall provide a preliminary design for any adaptations required to meet the specified environmental requirements.
- 3.2.4 An assessment of the cost impact (development and recurring) and suggested relaxation of EASR requirements. Additionally, the contractor shall evaluate the cost impact of any requirements which necessitate modification of the existing hardware items.

Contract N00014-09-D-0696 Task Order 0003 Page 2 of 10

- 3.2.5 An approach to providing a flexible external interface to the Combat Management System (CMS) which will readily support pub/sub for forward fit and adaption to legacy back-fit ship interfaces.
- 3.2.6 The contractor shall provide developmental cost and schedule estimates for any EASR performance parameter or functionality that requires development beyond the existing RMA radar system.
- 3.2.7 An assessment of the Reliability, Availability and Maintainability performance (reference 5.1 entitled, "Reliability, Availability and Maintainability") based on 120-day missions without critical failure. This will include the development of proposed criteria for defining a critical failure for the EASR System, and in particular the Antenna Subsystem.
- 3.2.8 Development of the EASR Open System Architecture approach by continuing the Open Systems Architecture approaches implemented on AMDR and DBR.

3.3 Studies

The contractor shall perform studies to address scalability of the Proposed EASR System radar including a three (3) face fixed variant and scaled rotators to meet lesser stressing requirements for the Coast Guard Cutters and Littoral Combat Ship (LCS). The studies will:

- 3.3.1 Establish commonality between the three (3) versions of the radars to reduce development and recurring costs.
- 3.3.2 Address performance, cost, and ship-fit issues such as size, weight and prime power.
- 3.3.3 Establish system performance based on equivalent detection range for the 3 face fixed variant and detection coverage of a 50% and 70% of the baseline EASR range and altitude coverage requirements for the scaled variants. Other variants may be considered for specific ship classes. EP requirements for each of the variants will also be assessed.

The contractor shall present the results of the EASR Trade Studies to the Government five (5) months after TO award.

The contractor shall develop and deliver a proposed EASR System Description Document in accordance with CDRL A004.

3.4 Performance Assessment of Proposed EASR System

The contractor shall perform a detailed study assessing the performance of the Proposed EASR System. If different versions are proposed for backfit and forward fit, both shall be analyzed to the same level of detail. The contractor shall develop the proposed EASR concept to a system preliminary design level. The assessment shall include a performance parameter compliance matrix documenting the proposed system's ability to meet the individual EASR parameters. This must clearly identify which capabilities will be met by the proposed radar system. As part of the system design effort, the contractor shall assess compliance to all EASR requirements including performance, environmental and SWAP.

As part of the system design effort the contractor shall perform the following system assessments/studies and present the following results to the Government nine (9) months after TO award: A Proposed EASR System Radar Performance Study Report shall be submitted in accordance with CDRL A006.

- 3.4.1 The contractor shall provide a detailed Blake Chart including transmit power, transmit antenna gain, receive antenna gain, all ohmic and non-ohmic losses, and the system noise temperature. For ease of comparisons between concepts, the reference point for antenna gains and noise temperature shall be the plane directly in front of the antenna aperture. The Blake Chart shall represent a typical search dwell used at low elevation and specified azimuth. Extrapolating from the existing SPS-48 and SPS-49 radars it is required that contacts provided to the combat system tracker in each search frame have fully resolved range and Doppler ambiguities. The losses resulting from this ambiguity resolution process, including the effect of blind ranges and blind Doppler frequencies, shall be included. Furthermore, a detailed breakdown of all processing losses including antenna beam shape losses, pulse compression weighting, range straddling, Doppler straddling, Doppler weighting, Constant False Alarm Rate (CFAR) loss, beam shape, and array scan losses, shall be included and substantiated. A detailed Blake Chart is desired for each configuration of the system.
- 3.4.2 The contractor shall develop the detailed Blake Chart for the EASR baseline and three (3) variants (two (2) scaled variants of the rotator and the three (3) faced fixed variant). The Blake Chart shall be developed based on the performance of the AMDR EMD hardware. The Blake Chart shall represent typical search dwell for low elevation and will include system losses including Doppler ambiguities, beam shape loss, CFAR, etc. A detailed breakdown of all of the losses shall be provided to the Government. No special modes are required for the contractor EASR Concept, but Blake Charts characterizing the performance of each mode, of this multi-mission radar system, shall be developed.
- 3.4.3 If the proposed radar system needs to implement special modes to meet specific mission requirements, the contractor shall include a description of these different operating modes as well as the resulting impact on the ability of the radar to perform its primary mission.
- 3.4.4 The contractor shall provide a description of the waveforms used for system search and track (i.e. Pulse Doppler, Moving Target Indicator (MTI), single pulse, etc.). This shall include a description of the number of pulses transmitted per coherent processing interval, number of fill pulses used, number of pulses coherently processed, waveform bandwidths and modulation schemes used to support pulse compression, etc. in each waveform.
 - 3.4.4.1The contractor shall provide a detailed waveform table for each mode of the EASR system. The waveform table will be derived from the AMDR and DBR waveform tables
- 3.4.5 The contractor shall provide a description of radiated energy versus search volume as it relates to covering the required surveillance volume in the specified frame time. For phased array radars the contractor shall describe the fraction of the frame time, which will be allocated to special track dwells.
 - 3.4.4.2 EASR System Search concept of operations (CONOPS) for the EASR baseline and the three (3) variants. The contractor shall provide a detailed description of radiated energy versus search volume to achieve the required surveillance volume in the specified frame time.
- 3.4.6 The contractor shall describe the strategy for meeting the requirement for detection of small, slow targets (Unmanned Aerial Vehicles (UAVs) and other slow, aerial targets) at low altitude in the littoral clutter environment (sea and bird returns). The contractor shall discuss the following:
 - 3.4.6.1 Discuss any additional waveforms or modes that are required.
 - 3.4.6.2 Discuss how false alarm rates will be regulated to an acceptable level.
 - 3.4.6.3 Discuss handling of track initiation.
 - 3.4.6.4 Discuss how the radar will simultaneously meet requirements for detection of all threats.
 - 3.4.6.5 The contractor shall provide an EASR System CONOPS for the detection and tracking of small, slow targets (UAVs) and other slow, aerial targets at low altitude in the littoral clutter environment (sea and bird returns). The EASR approach will leverage the DBR and AMDR CONOPS for the detection and tracking of similar targets. The presentation to the Government will include the waveforms utilized, false alarm mitigation techniques, track initiation and radar resource utilization for simultaneous operation in a multi-mission role.

3.4.7 The contractor shall provide a description of the system tracking strategy (track while scan, dedicated tracking, some combination of the two, etc.). The contractor shall describe the maximum number of tracks that can be accommodated in each mode.

3.4.7.1 EASR Tracking CONOPS including a description of the system tracking strategy and the maximum number of tracks. The EASR CONOPS is derived from DBR and AMDR.

- 3.4.8 The contractor shall discuss dynamic range and out-of-band blocking performance of the proposed radar design. The contractor shall describe in-band linearity performance (Third Order Intercept (TOI) dynamic range) and spur-free dynamic range.
 - 3.4.8.1 EASR Hazardous Weather CONOPS derived from DBR.
 - 3.4.8.2 EASR System receive performance, including out-of-band blocking, in-band TOI and spur free dynamic range, based on AMDR EMD hardware performance.
- 3.4.9 The contractor shall state the radar operating frequency range of the proposed system. The contractor shall specifically identify the number of frequency channels available for operation, the minimum number of frequencies required for operation, and the frequency or range separation required for two identical radar systems located on different ship platforms to operate in close proximity without degradation. As frequency selection must address the electromagnetic environment in which the radar has to operate, the contractor shall discuss the ability of the system to operate in the relevant naval environment.
 - 3.4.9.1 The contractor shall provide the EASR CONOPS for frequency management including operational frequency range and the number of frequency channels.
 3.4.9.2 The contractor shall provide assessment of EASR interoperability based on frequency management, out-of-band emissions, antenna sidelobe/notch levels and in-band TOI. Assessment will be based on AMDR EMD hardware performance
- 3.4.10 The contractor shall describe electronic protection features included in the radar design. This shall include antenna sidelobe levels and sidelobe cancellation against stand-off jamming and a discussion of techniques proposed to counter responsive jamming. Raytheon shall describe sidelobe blanker designs and their ability to operate effectively in a jamming environment.
 - 3.4.10.1The contractor shall provide the EASR EP CONOPS and associated impact assessment for the specified responsive and stand-off jammers. EASR EP approach will include the use of a blanker array, antenna sidelobe control, adaptive beamforming and processing techniques. The EASR hardware performance, such as channel pair cancellation ratio, is based on AMDR EMD hardware performance. The EASR CONOPS leverages the CONOPS and processing techniques from AMDR and DBR.

The contractor shall develop and deliver the Proposed EASR System Radar Performance Study Report in accordance with CDRL A006.

3.5 Cost Study for Proposed EASR System

Leveraging the AMDR Total Ownership Cost (TOC) model, the contractor shall develop a detailed EASR TOC based on the assumptions/guidelines provided in reference number 5.6 entitled, "Framework for the Total Ownership Cost Model". AMDR supplier quotes and cost projections will be used for EASR subassembly costs where applicable. The TOC will be used to identify system cost drivers to enable the identification and execution of appropriate trade studies.

The contractor shall conduct the following cost study trades:

3.5.1 Radar Sensitivity / Range – the contractor shall perform parametric evaluation of cost, weight and power versus required sensitivity/range requirements.

3.5.2 Radar Duty Cycle – the contractor shall evaluate system level performance/cost impact of operating the EASR at a higher duty cycle. The AMDR based hardware supports radar duty cycles which are significantly higher than the EASR baseline.

- 3.5.3 System Reliability the contractor shall evaluate the cost impact of adding various levels of redundancy and condition based maintenance to achieve different mean time between critical failures (MTBCF) and on-board sparing requirements. The contractor shall perform parametric evaluation of acceptable graceful degraded performance and contiguous mission length definitions on MTBCF and cost.
- 3.5.4 Radar Electronic Protection The contractor shall evaluate the cost impact of providing various levels of electronic protection. Electronic Protection requirements shall impact the backend processing requirements and the number of auxiliary channels in the array.

 3.5.5 Liquid Rotary Joint The liquid rotary joint is one of only two critical technology risks that need to be mitigated prior to entering EMD. Along with conducting testing, the contractor shall evaluate the system cost/performance impacts of locating the chiller/heat exchanger above the rotary joint and changing to a three (3) face fixed system.

The TOC model shall include a detailed list of assumptions, the analytical approach for each element of cost and provide a cost summary by life cycle phase. The TOC Model shall be fully documented and shall be used for system design trades. The contractor shall describe its analytical approach and cost methodology associated with each WBS element within the TOC Model. The TOC model shall present cost in current year and then year dollars based on the Defense Contract Audit Agency (DCAA) Forward Pricing Rate Agreement.

The contractor shall present the TOC model to the Government nine (9) months after TO award.

The contractor shall develop and deliver the TOC Model to the Government in accordance with CDRL A008.

3.6 Risk Reduction Demonstration

The contractor shall conduct a system level demonstration to verify system level operational performance and to reduce the risk associated with conducting an EMD phase. The EASR Demonstration System shall be a full size array structure, pedestal and rotatory joint, designed to tactical requirements, populated with one fully active RMA. The RMA will utilize AMDR Technical Demonstration revision hardware. The contractor shall conduct the following risk reduction demonstrations with the EASR Demonstration System:

- 3.6.1 Rotary Joint The contractor shall demonstrate rotary joint with twenty 10 gigablt (GbE) fibers, power slip ring, and coolant rotary joint.
- 3.6.2 Rotating track while scan in clutter The contractor shall demonstrate rotating track while scan in clutter
- 3.6.3 Rotating track slow moving targets ~ The contractor shall demonstrate tracking of slow moving targets while rotating.
- 3.6.4 Rotating clutter mapping The contractor shall demonstrate clutter mapping while rotating.
- 3.6.5 Ghost track rejection while rotating The contractor shall demonstrate no ghost tracks while rotating.

The Government Team is an integral member of the contractor integrated product team (IPT) structure and will be invited to attend all demonstration events. The contractor shall present the Risk Reduction Demonstration Plan to the Government five (5) months after TO award.

The contractor shall develop and deliver the Risk Reduction Demonstration Plan and Results Report in accordance with CDRL A009.

3.7 Program Management Plan

The contractor shall conduct program management including program control using its Integrated Product Development System (IPDS) for management, control, and reporting as a guide. The contractor shall perform and report earned value monthly. Program risks and opportunities shall be continuously monitored and reported at each major meeting.

The contractor shall develop a Program Management Plan (PMP) in accordance with CDRL A007. Progress against the PMP will reported at each Program/Technical Review.

The contractor shall provide Monthly Progress Reports in accordance with CDRL A001.

3.8 Reviews and Meetings

The contractor shall conduct, at a minimum, the following meetings in a fully collaborative development environment.

- 3.8.1 Kickoff Review. Within one (1) month after TO award, the contractor shall host a kick-off meeting at their facility in Sudbury, MA, or other, mutually agreed upon location, for the purpose of reviewing the program requirements; the contractor's technical and management plans (including PMP); the approach to modifying the existing radar system to meet the Government requirements; and the detailed schedule with a detailed contract work breakdown structure (CWBS) that is directly traceable to the overall program schedule to provide visibility and accountability to the lowest level necessary to reflect the way the work is being performed. This kick-off meeting will serve as the venue for reporting the complete "Description of the Existing Radar System". The meeting materials shall be submitted in accordance with CDRL A002
- 3.8.2 Final Review and final report. No later than seventeen (17) months after TO award, the contractor shall host a Final Review at their facility in Sudbury, MA, or other, mutually agreed upon location. The contractor shall review all studies and risk reduction demonstrations performed during the execution of this TO. The Final Review will also include a discussion of any remaining development and/or technology risks requiring further maturation/mitigation necessary for transition from the design phase into fabrication, integration and testing. The meeting materials shall be submitted in accordance with CDRL A002. A Final Report shall be delivered in accordance with CDRL A005.
- 3.8.3 Program Reviews/Technical Reviews. The contractor shall conduct Program Management and Technical Reviews at their facility in Sudbury, MA, or other mutually agreed upon location every four (4) months beginning five (5) months after TO award. At each review, the contractor shall provide progress in concept development and performance estimates, updates on risk reduction plans and emerging results, an update of program risk assessments, program and schedule status, and a review of contract deliverables. The contractor shall also provide program status measured against the baseline Program Management Plan (PMP). Presentation materials shall be submitted in accordance with CDRL A002.
- 3.8.4 Technical Interchange Meetings (TIMs). At least one (1) TIM will be conducted between the Program Reviews. During those TIMs, the contractor shall provide progress updates. In addition, the contractor shall support any coordination meetings and telephone conversations with the Office of Naval Research (ONR), Naval Sea Systems Command Program Executive Office Integrated Warfare Systems 2.0 (NAVSEA PEO IWS 2), Naval Research Laboratory (NRL), and other appropriate Government representatives. TIM meetings may be conducted remotely and/or at any location mutually agreed upon. The location of Reviews and Meetings may be changed as mutually agreed upon between the Government and the contractor. Presentation materials shall be submitted in accordance with CDRL A002.

3.9 Security

The contractor's facilities shall include appropriate classified document storage and control. The contractor Key Personnel shall possess a minimum of a SECRET level clearance.

All technical data submitted shall be marked as follows:

DISTRIBUTION C. Distribution authorized to U.S. Government agencies and their contractors; Administrative/operational use. Critical Technology; 23 Jan 2013. Other requests shall be referred to NAVSEA PEO IWS 2.

3.10 Program Management

The contractor shall assign a qualified Program Manager (PM) who shall have complete responsibility for the planning, execution, control and reporting of all aspects of the program, and for directing inhouse and sub-contractors' efforts. The PM shall ensure that the necessary controls are appropriately applied to in-house hardware, software, firmware and interface development and its associated support efforts (e.g., design reviews, safety program, product assurance, Configuration Management (CM), financial management and subcontract management). The PM shall be provided with the necessary authority to utilize the company's resources to ensure the program is accomplished within price, on schedule and within specified technical performance parameters.

3.11 Performance Metrics.

The contractor shall assess performance by identifying metrics to measure technical, price and schedule performance. The contractor shall develop and present these metrics at the Kick-Off Meeting (paragraph 3.8.1 entitled "Kick-Off Review"). Following approval by the Government, the approved set of metrics shall be incorporated into the PMP (CDRL A007) and used to report program progress at subsequent Program Reviews and in Monthly Progress Reports (Technical) in accordance with CDRL A001.

3.12 Use of Existing Corporate Plans, Policies, and Procedures

The contractor is encouraged to use existing corporate plans, policies and procedures (as appropriate) in response to the CDRL deliverable requirements. If existing documents fail to adequately address the requirements, the corporate documentation may be modified as appropriate and submitted. Copies of plans, policies and procedures shall be provided to the Government upon request.

3.13 System Architecture

The Proposed EASR system architecture shall be based on Modular Open System Approach (MOSA) principles using open standards and open interfaces to provide rapid and affordable insertion and refreshment of technology through modular design. MOSA applies to all systems (hardware, software, firmware) developed or procured by the contractor for this TO.

The following information shall be presented at program reviews and TIMs, as appropriate:

- 3.13.1 Provide recommendations, with appropriate rationale, regarding the level of systems design beyond which industry should retain intellectual property rights and the resulting impact on affordability or open characteristics of the system.
- 3.13.2 Provide documentation on all key interfaces within the system and identify, with rationale, any interfaces that are not open and also identify all specific standards that have been and are to be implemented for the key interfaces. Hardware key interfaces will include but not be limited to all interfaces associated with system components.

Contract N00014-09-D-0696 Task Order 0003 Page 8 of 10

- 3.13.3 Identify all Hardware and all Software/Firmware components within the system, and document how the selected components provide for scalability and sustainment of the system.
- 3.13.4 Identify any license requirements associated with Commercial Off the Shelf (COTS) or Non-Developmental Item (NDI) components

3.14 Environmental

3.14.1 Marine Environment

The Proposed EASR system will be permanently installed in a shipboard environment. The Proposed EASR system design shall address the marine environment and shall include consideration of vessel motion and impacts from exposure to atmospheric pressure, humidity, wind, ice, snow, solar radiation, salt spray, sand, hall and dust as described in reference number 5.2 entitled, "Shipboard Environmental Parameters". In the event that an existing system that does not meet the reference shipboard environmental specifications is used as a starting point for the construction of EASR, a detailed description of the required tasks and activities to make the system compliant shall be provided at one of the program reviews.

3.14.2 Radiation Hazards

The contractor shall assess the Proposed EASR system peak and average power density data to determine the intensity of electromagnetic fields in the near and far field zones and to facilitate development of the necessary radiation controls and procedures required to ensure safe shipboard installation. The contractor shall use this data to calculate safe distances for Hazards of Electromagnetic Radiation to Ordinance (HERO), Hazards of Electromagnetic Radiation to Fuel (HERF), and Hazards of Electromagnetic Radiation to Personnel (HERP) respectively as described in NAVSEA OP 3565. This information shall be provided at the first program review meeting. The meeting materials shall be submitted in accordance with CDRL A002.

3,15 Internet Digital Collaboration Site

The Government will establish and maintain an Internet Digital Collaboration Site (IDCS) for the duration of the contract that the contractor shall use for the purpose of providing secure digital file storage and exchange between the government and Contractor team members. Both classified and unclassified portions of the IDCS will be maintained. The contractor shall post all contract materials to the IDCS.

4.0 Deliverables

- 4.1 Monthly Progress Reports (Technical); (CDRL A001)
- 4.2 Meeting Materials (Kick-off, Program/Technical Reviews, TIMs, and Final Review); (CDRL A002).
- 4.3 Existing Radar System Detailed Design Description Report; (CDRL A003).
- 4.4 Proposed EASR System Description Document (SDD) Report; (CDRL A004).
- 4.5 Final Report; (CDRL A005).
- 4.6 Proposed EASR System Radar Performance Study Report; (CDRL A006).
- 4.7 Program Management Plan (PMP); (CDRL A007).
- 4.8 Total Ownership Cost (TOC) Model; (CDRL A008).
- 4.9 Risk Reduction Demonstration Plan and Results Report; (CDRL A009).

5.0 References

The following attachments from solicitation N00019-13-R-0004 are cited herein and are incorporated into this supplemental statement of work by reference.

- 5.1Reliability, Availability, and Maintainability (Attachment 6)
- 5.2 Shipboard Environmental Parameters (Attachment 7)
- 5.3 SPS-48/49 Size, Weight and Power Values (Attachment 8)
- 5.4 EASR Performance Requirements (Attachment 9)
- 5.5 Framework for the Total Ownership Cost Model (Attachment 11).

Form Approved REPORT DOCUMENTATION PAGE OMB No. 0704-0188 Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, scarching existing data sources, gathering and maintaining the date needed, and completing and reviewing this collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Department of Defense, Washington Headquarters Services, Directorate for information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS. 2. REPORT TYPE I. REPORT DATE (DD-MM-YYYY) 3. DATES COVERED (From - To) 4. TITLE AND SUBTITLE 5s. CONTRACT NUMBER 5b. GRANT NUMBER Sc. PROGRAM ELEMENT NUMBER 6. AUTHOR(S) 5d. PROJECT NUMBER 5e. TASK NUMBER SE WORK UNIT NUMBER 7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) 8. PERFORMING ORGANIZATION REPORT AND ADDRESS(ES) NUMBER 19. SPONSOR/MONITOR'S ACRONYM(S) 9, SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES) 11. SPONSOR/MONITOR'S REPORT NUMBER(S) 12. DISTRIBUTION / AVAILABILITY STATEMENT 13. SUPPLEMENTARY NOTES 14 ABSTRACT 15. SUBJECT TERMS 17. LIMITATION 18. NUMBER 19a, NAME OF RESPONSIBLE PERSON 16. SECURITY CLASSIFICATION OF: OF ABSTRACT OF PAGES

Standard Form 298 (Rev. 8-98) Prescribed by ANSI Std. 239.18

cade)

19b. TELEPHONE NUMBER (include area

b, ABSTRACT

s, REPORT

c. THIS PAGE

1. CLEARANCE AND SAFEGUARDING SER: 134-								-13
DEPARTMENT OF DEFE CONTRACT SECURITY CLASSIFICATION	EARANCE REQUIRED							
(The requirements of the DoD Industrial Sec	SECRET							
to all security aspects of this e	b. LEVEL OF SAFEGUARDING REQUIRED							
SECRET								
2. THIS SPECIFICATION IS FOR: (X and complete as applicable) 3. THIS SPECIFICATION IS: (X and complete as applicable)								
a. PRIME CONTRACT NUMBER	V			10	ATE (YYYYMMD	(D)		
× N00014-09-D-0696 / 0003		×	a. O	RIGINAL (Complete	date in all cases)	20130913	1	
b. SUBCONTRACT NUMBER	·		 		EVISED	REVISION NO. D	ATE (YYYYMMD	(D)
			}	(S	upersedes all Bvidus speas)	1	•	
c. SOLICITATION OR OTHER NUMBER DUE DAT	E (YYYY	MMDD)	t			10	ATE (YYYYMMD	(O)
	•		c. FINAL (Complete Item 5 in all cases)					
4. IS THIS A FOLLOW-ON CONTRACT?	ES	XIN	O. If Ye	S, COMI	plate the following:	·····		
Classified material received or generated under		المحت				ber) is transferred to this follow	u oo aantaart	1
<u> </u>					<u></u>	261) is translated to the follow	w-on contract.	4
5. IS THIS A FINAL DD FORM 254?	E\$	X)N	O. If Ye	s, com	plete the following:			
In response to the contractor's request dated		retension	of the cla	essilied	material is authoriz	ed for the period of		
6. CONTRACTOR (Include Commercial and Government E	ntity (CA)	SE) Code)			 			7
a. NAME, ADDRESS, AND ZIP CODE	<u> </u>		GE COL)€ [c.	COGNIZANT SEC	JRITY OFFICE (Name, Addre	ess, and Zip Code	,
Raytheon Company		1 0	AYP7	1,	Defense Security S	Service (IOFNW)		
50 Apple Hill Drive		-		1	Teck Drive, Suit	- ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '		1
Tewksbury, MA 01876-0901		1			Andover, MA 018			. (
16wx30019, 1417, 01870-0701		- {		} '	ARGENEI, MACUIS	10-2432		
				Į				
7. SUBCONTRACTOR					·			
a. NAME, ADDRESS, AND ZIP CODE		Ib Ca	GE CO	TE TO	COGNIZANT SEC	URITY OFFICE (Name, Addre	set and Zin Code	<u>,</u> -
		[5,5]	GC GOD	- 1	N/A	oster i de i fold france Maore	153, #110 EID COUG	"
N/A		- 1		1 '	14/74			
		}		-				
		}		Ī				
		1						
					······································			
8. ACTUAL PERFORMANCE			GE COL		*****	UNITED AND ADDRESS OF THE PARTY		
a. LOCATION		10.04	GE GUL	- 1		URITY OFFICE (Name, Addre	ess, and cip code	"
N/A		Ì) ¹	N/A			-
		1		- {				
 		-						
		ŀ		Ì				
								
9. GENERAL IDENTIFICATION OF THIS PROCUREMENT								
Enterprise Air Surveillance Radar concept studies, analysis and risk reduction								
								i
10. CONTRACTOR WILL REQUIRE ACCESS TO:	YES N					ACT, THE CONTRACTOR	RWILL: YE	S NO
a. COMMUNICATIONS SECURITY (COMSEC) INFORMATION		X	AVE ACC	FSS I	FACILITY OR A GOVE	ATION ONLY AT ANOTHER RIMENT ACTIVITY		\mathbf{X}
b. RESTRICTED DATA	7				FIED DOCUMENTS ON			TX
C. CRITICAL NUCLEAR WEAPON DESIGN INFORMATION		X º R	ECEIVE A	AND GE	NERATE CLASSIFIED	MATERIAL	×	
d FORMERLY RESTRICTED DATA	1-1:	X e F	ABRICAT	E, MOD	NFY, OR STORE CLAS	SIFIED HARDWARE	T X	
B. INTELLIGENCE INFORMATION	100 10	B. F	ERFORM	SERVI	CES ONLY			1×
(1) Sensiëve Companimented Information (SCI)		X I	AVE ACC	ess ic	US CLASSIFIEDINE	ORMATION OUTSIDE THE US., TRUST TERRITORIES		TX
(2) Non-SCI	-11 -	X 8 8	AUTHO	AZED	TO USE THE SERVICE	S OF DEFENSE TECHNICAL INFO	ORMATION X	
I SPECIAL ACCESS INFORMATION					SEC ACCOUNT	Digerrian from CENTER		1×
					REQUIREMENTS			12
9. NATO INFORMATION					VS SECURITY (OPSEC	DEALIBERTA		 \frac{1}{\frac{1}{2}}
h. FOREIGN GOVERNMENT INFORMATION								
1. LIMITED DISSEMBNATION INFORMATION	X				TO USE THE CEFENS	COUMENSERVICE		X
j. FOR OFFICIAL USE ONLY INFORMATION		THER (·-	(_1 11m_3	×	۱)	
k. OTHER (Specify)] }	X []toπ	11.g;	Submi	it requests to ottic	ial listed in item 16.a	 	
	[ļ					j)

12. PUBLIC RELEASE. Any information (classified or un							
by the industrial Security Manual or unless it has been ap	proved for public release b	y appropriate U.S. Government author	ity. Proposed public releases shall				
be submitted for approval prior to release	Direct X Throu	igh (Specify)					
Office of Naval Research, Ms. Belsy DeLong, C	NR 31, One Liberty Co	enter, 875 N. Randolph Street, Ar	lington, VA 22203-1995				
to the Directorate for Freedom of Information and Securi	to Ravieus Office of the Am	eistant Sacratary of Natance (Dublin 64	(airs)* for review.				
In the case of non-Dob User Agencies, requests for dis	dosure shall be automitted	to that agency.	in terroit.				
13. SECURITY GUIDANCE. The security classification guidance or if any other contributing factor indicates a nechanges; to challenge the guidance or the classification questions for interpretation of this guidance to the afficial highest level of classification assigned or recommended, documents/guides/axtracts referenced herein. Add addit	ed for changes in this guid assigned to any information identified below. Pending (Fill in as appropriate for t	ence, the contractor is authorized and e n or material furnished or generated und final decision, the information involved the classified effort. Attach, of forward	ancouraged to provide recommended for this contract; and to submit any shall be handled and protected at the				
Item 11.c. Only IS's approved by DSS shall be							
1. Information generated under this contract sh							
OPNAVINST 5513.8 SCG ID#08-03.1 Uncl							
OPNAVINST 5513.8 SCG ID# 08-18.1 Und	sussined KADAK, G	Controlled Uncleasified Info	notion (CIII) of 2/24/12				
DoD M-5200.01 Volume 4, DoD Informatio	n Security Program:	Controlled Unclassified inform	RAHOH (COF) OF 2129/12				
Additionally, all classified material derived fro	m other classified so	urces will perpetuate the night	ist crassification and any special				
caveats pertaining thereto.		that have an own as					
2. Document preparation and distribution shall	be only as prescribed	d by the Program Officer.					
3. The attached FOUO and Intelligence Inform							
4. To obtain documentation/information submi	t requests to official!	listed in 16.a below.	1 5 90 1 1				
5. Forward copies of any subcontractor DD254	's issued incident to	this contract to the official sho	wn in item 16.a below.				
ONR Program Officer:	PEO-IWS Program						
Office of Naval Research,	•	e Office-Integrated Warfare Sy	stem 2				
Ms. Betsy DeLong, ONR 31	1333 Isaac Hull Avenue SE						
OLC, 875 N. Randolph Street,	Building 197						
Arlington, VA 22203-1995	Washington Navy Yard, DC 20376						
(703) 588-0669; Unclassified	(202) 781-1996						
Email: betsy.delong@navy.mil	Email: dennis.j.col	le@navy.mil					
	_						
14. ADDITIONAL SECURITY REQUIREMENTS. Requirements, in addition to ISM requirements, are astablished for this contract. (If Yas, identify the pertinent contractual clauses in the contract document itself, or provide an eppropriate statement which identifies the additional requirements. Provide a copy of the requirements to the cognizant security office. Use item 13 if additional space is needed.)							
15. INSPECTIONS. Elements of this contract are outsid	e the inspection responsibl	lity of the cognizant security office.	Yes X No				
(If Yes, explain and identity specific areas or elements of	carved out and the activity r	responsible for inspections. Use Item 1	3 if additional space is needed.)				
ł							
1							
16. CERTIFICATION AND SIGNATURE. Security re information to be released or generated under	equirements stated he this classified offer	rein are complete and saequate t barratar ad illate santssun IIA	tor saleguarding the classified of the official named below.				
a. TYPED NAME OF CERTIFYING OFFICIAL	b. Trile	Un describer and se triouge :	c. TELEPHONE (Include Area Code)				
Diana Pacheco [diana.pacheco@navy.mil]	Contracting Off	icer for Security Matters	(703) 696-8177				
d. ADDRESS (Include Zip Code)		17. REQUIRED DISTRIBUTION	· · · · · · · · · · · · · · · · · · ·				
Office of Naval Research		X a. CONTRACTOR					
One Liberty Center, 875 N. Randolph Street		b. SUBCONTRACTOR					
Arlington, VA 22203-1995		c. COGNIZANT SECURITY OFFI	CE FOR PRIME AND SUBCONTRACTOR				
国際教育人工 (1) (1) (1) (1) (1)		\	FOR DVERSEAS SECURITY ADMINISTRATION				
		8. ADMINISTRATIVE CONTRAC					
		I. OTHERS AS NECESSARY O	NR 31, 43, 25, PEO-IWS2				

"FOR OFFICIAL USE ONLY" (FOUO) INFORMATION SHEET"

1. General

- a. The "For Official Use Only" (FOUO) marking is assigned to information at the time of its creation by a DoD Agency. It is not authorized as a substitute for a security classification marking but is used on official government information that may be withheld from the public under exemptions 2 through 9 of the Freedom of Information Act.
- b. Use of the FOUO marking does not mean that the information cannot be released to the public, only that it must be reviewed by the Government prior to its release to determine whether a significant and legitimate government purpose is served by withholding the information or portions of it.

Identification Markings

- a. An unclassified document containing FOUO information will be marked "For Official Use Only" at the bottom of the front cover (if any), on the first page, on each page containing FOUO information, on the back page, and on the outside of the back cover (if any). No portion markings will be shown.
- b. Within a classified document, an individual page that contains both FOUO and classified information will be marked at the top and bottom with the highest security classification of information appearing on the page. If an individual portion contains FOUO information but no classified information, the portion will be marked "FOUO."
- c. Any "For Official Use Only" information released to a contractor by a DoD Agency is required to be marked with the following statement prior to transfer:

This document contains information EXEMPT FROM MANDATORY DISCLOSURE under the FOIA. Exemption(s) ____ apply.

- d. Removal of the "For Official Use Only" marking can only be accomplished by the originator or other competent authority. When the "For Official Use Only" status is terminated, all known holders will be notified to the extent practical.
- 3. <u>Dissemination</u>. Contractors may disseminate "For Official Use Only" information to their employees and subcontractors who have a need for the information in connection with a classified contract.
- 4. Storage. During working hours, "For Official Use Only" information shall be placed in an out-of-sight location if the work area is accessible to persons who do not have a need for the information. During nonworking hours, the information shall be stored to preclude unauthorized access. Filing such material with other unclassified records in unlocked files or desks is adequate when internal building security is provided during nonworking hours. When such internal security control is not exercised, locked buildings or rooms will provide adequate after-hours protection or the material can be stored in locked receptacles such as file cabinets, desks, or bookcases.
- 5. <u>Transmission</u>. "For Official Use Only" information may be sent via first-class mail or parcel post. Bulky shipments may be sent by fourth-class mail.
- 6. <u>Disposition</u>. When no longer needed, FOUO information may be disposed of by tearing each copy into pieces to preclude reconstructing, and placing it in a regular trash container or as directed by the DoD Agency.
- 7. <u>Unauthorized Disclosure</u>. Unauthorized disclosure of "For Official Use Only" information does not constitute a security violation but the releasing agency should be informed of any unauthorized disclosure. The unauthorized disclosure of FOUO information protected by the Privacy Act may result in criminal sanctions.

CONTRACTING OFFICER'S REPRESENTATIVE APPOINTMENT LETTER

04 September 2013

From: Lynn Christian

To: Ana Diaz

Subj: Appointment as Contracting Officer's Representative

(COR)

Ref: (a) DFARS 201.602-2

(b) FAR 3.2

(c) ONRINST 4205

Pursuant to reference (a) you are hereby appointed as the Contracting Officer's Representative (COR) for the administration of the following contract:

Contract Number: N00014-09-D-0696 Task Order 0003

For: "Enterprise Air Surveillance Radar (EASR) Study"

Name of Contractor:

Raytheon Company Integrated Defense Systems 50 Apple Hill Drive Tewksbury, MA 01876

Contract Period of Performance:

Eighteen (18) months awarded as a single period of performance

- 1. As COR, you have the specific responsibilities detailed below.
- a. Furnish the contractor technical direction and guidance in all aspects of the contract. You may formalize your guidance to the contractor in writing, provided that the written guidance does not affect price or duration of the contract and provided that this guidance contains both a signed acknowledgement from the contractor and the following statement:

"In accepting this technical direction and guidance, the contractor agrees that the price and all other terms and conditions of the contract remain unchanged."

- 2. As a COR **you do not** have the authority to direct the contractor how to perform but are empowered to provide guidance as to what of a technical nature is required. If you are unsure whether giving specific instructions falls within your purview, contact the Contracting Officer for guidance before giving instructions to the contractor.
- 3. During surveillance of contract performance, take care to ensure this contract does not become a personal services contract through your actions or the actions of other government personnel who may assist you in the performance of your duties.

This distinction between surveillance, which is proper and necessary, and supervision, which is illegal, is violated when surveillance becomes supervision and the contractor is told how to perform the contract. Supervision of the contractor must be scrupulously avoided.

- 4. COR duties include, but are not limited to:
- a. Serving as the technical contact through which the contractor can relay his questions and problems of a technical nature to the Contracting Officer.
- b. Monitoring the contractor's performance to ensure that inefficient and/or wasteful methods are not utilized and, if they are, alerting the Contracting Officer. Also, input evaluation reports into CPARS.
- c. Reviewing and evaluating contractor estimates to perform work under the contract and advising the Contracting Officer accordingly.
- d. Over-viewing contractor performance to determine if the percentage of work performed reasonably corresponds to the percentage of funds expended and alerting the Contracting Officer of any problems.
- e. Reviewing contractor progress and financial reports and completing the certification of inspection and acceptance of

services performed through the Wide Area Work Flow (WAWF) system at the end of the contract.

- f. Alerting the Contracting Officer to any potential performance problems. If the performance schedule slips, determine the reasons and work with the Contracting Officer to eliminate the problem. Monitor schedule recovery in accordance with the agreed-upon plan.
- g. Furnishing the Contracting Officer with contractor requests for changes, deviations, or waivers, including any supporting analysis and other required documentation.
- 5. Notwithstanding the duties listed above, CORs <u>do not</u> possess the authority of a Contracting Officer, and therefore must not alter the terms and conditions of the basic contract.
- 6. Relationships between contractors and CORs must be beyond reproach. Therefore, strict compliance with DoD Directive 5500.7 regarding standards of conduct and conflict of interest is required. If you are not familiar with these instructions, please read them as soon as possible. If you need copies, please contact ONR BD00CC, Corporate Counsel.
- 7. This appointment is effective through the life of the contract, unless you are otherwise relieved.
- 8. COR authority may not be redelegated. However, an "Alternate COR" (ACOR) may be nominated and appointed by the PCO to act only in the absence of the primary COR. The nomination and appointment criteria and procedures for the ACOR are the same as those for the COR.

com/noon signerage (which constitutes Acceptance of appointment)

09/04/2013

Note: Please sign one copy of this memorandum in the space provided above, and upload into the CORT Tool.

FINANCIAL ACCOUNTING DATA SHEET - NAVY

1. CONTRACT	CONTRACT NUMBER (CRITICAL) 2. SPIN (CRITICAL) 3. MCD (CRITICAL) 4. PR NUMBER														
N0001409D0696 0003			13PF				PR09191-00			<u> </u>					
	6, LINE OF ACCOUNTING					MANAY INTERNAL									
CLIMISCIN	A, ACRN (CRITICAL)	B. APPROPRIATION (CRITICAL)	C. SUBHEAD (CRITICAL)	D. OBJ CLA	E. PARM	F. RFM	G. SA	H. AAA (CRITICAL)	11	J. PAA	PROJ	ST CODE	PDU & SUF	AMOUNT (CRIFICAL)	MAYY INTERNAL USE ONLY REF DOC/ACRN
				 	ļ		ļ		 _	ļ	TINIT	MCC	& SUF	<u> </u>	
		}	ì]) '		i '	,	}	}	1		} '	1	
		ļ			<u> </u>		[{	1	{	}	۱ ۱	+	
			:		1				1		į]		
		1]]]			}		}]				
	i	ļ	{		[ايدوا	[]) 	<u></u>		 1	1 1		
		:			1 7.4	us	paq	ge is	$\{1n\}$	tent:	onar.	λr	Tan	1	
		}				,] ,		,
ì]]]	'	i		1	}	1	1] '		}
			{			ļ			[,	{	}	ļ i		1
									ł	ĺ] ,		'
]]]		
1							'		!		{	}	ŧ i	}	
							Į į		{				ł i		
							·		ļ]]	' '	
ľ				{			['			1	1		[}	
ļ				([()		[l	l		ł i		
			}						}	Ì]] .		
ſ			1				\ '	'	1	•	1		ነ ነ		
į		[{ }	l i		()		(Į	(₹ .		
					1 .]	í	ļ	1]		
ì) '		\		1	1	1	•	\	}	1
		ļ	ļ						{	l	(ļ	{ i	ļ	Ţ
		}	}		1 1]	[ļ	ŀ]		
Ì			ነ		'	<u>'</u>			ነ	Ì	1	[[}	}
Į			Į.			İ			ţ	<u> </u>	({	<u> </u>	{	
į		(l						Į	[Į				
		}								ł					1
	PAGE TOTAL \$.00														
PREPAREDIAUTORIZEO BY: GRAND YOTAL \$,00]															
FOR FISCAL DATA AND SIGNATURE															
DATE.		1			!	DATE	BY							for COMPTROLLE	R, ONR CONTRACT REVIEWED
<u> </u>															

FINANCIAL ACCOUNTING DATA SHEET - NON-NAVY DoD ACTIVITIES

L. CONTRACT HUMBER (CRITICAL) 2. SPIIN (CRITICAL)			3. MOD (CRITICAL)	4. PR NUMBER			
N0001409D0696 0003 0003			13PR09191-00	8. AMOUNT	NAVY INTERNAL		
CEINISEIN	ACRN (CRITICAL)		A	CCOUNTING CITATION		NAVY INTERNAL USE OMLY REF DOC/ACRN	
	AA	1721319 ASBJ 252 W DOC#N0002413RX0063	NS020 0 050120 2D 00000	O A10001713292		\$6,000,000.00	PR#13PR05191-00 PRC: Z130
					,		
					PAGE TOTAL	\$6,000,000.00	
PREPAREDIAUTHORIZED BY: DATE:					GRAND TOTAL COMPTROLLER APPROVAL: FOR FISCAL DATA AND SIGNATURE BY DATE:	S6,000,000.00	NTRACT REVIEWED

Contract Distribution Sheet

CR Number: Contract Number: Specialist:	13PR09191-00 N0001409D06960003 NO NEG ONR: BD251	I.
Modification Number	Γ.	
Distribution Date:	SEP 2 6 2013	Distributed By:
PCO, ONR A	rlington (Original)	
Contractor (D	ruplicate Original)	=1)-taniy
Short Contractor Cod	e and Address:	4/26/26/
RAYN RAYTHEON COMP RAYTHEON COMP TEWKSBURY, MA	ANY - IDS 50 APPLE HI	LL DR
ACO		
ACO MILSCAP Cod	le and Address:	•
S2205A DCMA RAYTHEON 50 APPLE HILL DR TEWKSBURY, MA	IVE T2FR2	
Payment Offi	ce	
DODAAD Code and	Address:	
HQ0337 DFAS COLUMB, N PO BOX 182266 COLUMBUS, OH 4	ORTH ENTL-HQ0337 3218-2266 US	
ONR: 00CC Program Offi	cer: DELONG, MS. BET	SY B, ONR Other